

MARLBORO TOWNSHIP COUNCIL MEETING

May 16, 2024

The Marlboro Township Council held its regularly scheduled meeting on May 16, 2024 at 7:00 P.M. at the Marlboro Municipal Complex located at 1979 Township Drive, Marlboro, New Jersey.

Council President DiNuzzo opened the meeting and announced that pursuant to the provisions of the Open Public Meetings Act, notice of this regularly scheduled meeting of the Township Council of the Township of Marlboro was emailed to the Asbury Park Press, the Star Ledger, News Transcript and the Board of Education Office on May 14, 2024; published in the Asbury Park Press on December 26, 2023; posted on the Bulletin Board of the Municipal Building; filed in the Office of the municipal clerk and placed on the township's website and Channel 77.

Municipal Clerk Susan A. Branagan called the roll.

PRESENT: Council Vice President Milman, Councilman Qazi, Councilman Scalea, Councilwoman Viridi and Council President DiNuzzo

Also present: Mayor Jonathan L. Hornik, Township Attorney Louis N. Rainone, Esq., Business Administrator Jonathan Capp, Municipal Clerk Susan A. Branagan and Deputy Municipal Clerk Jennifer M. Johnson

Presentation and Proclamation: A presentation was given and Mayor Hornik presented a proclamation recognizing Jewish Heritage Month.

Citizen's Voice:

Frank Festa of Scotch Plains, New Jersey said that he has not received engineering approval for building on his commercial property.

William Waple of Marlboro, New Jersey requested that the sidewalks near Bear Commons be repaired. He also respectfully requested that the 2024 Memorial Day service be moved back a week from its scheduled date.

Lisa Pereira of Jackson, New Jersey questioned the states pension process.

Council Speaks Out: Councilman Scalea announced that there are six newly opened pickle ball courts at the recreation center. He thanked the Recreation Department for all of their hard work. Councilwoman Viridi thanked everyone for the presentation for Jewish Heritage

Month. She invited residents to join the Township Shade Tree Commission. Councilman Qazi said he enjoyed the Jewish Heritage month presentation. Council Vice President Milman was delighted with the recognition of Jewish Heritage Month. Council President DiNuzzo spoke about the recent Economic Development Committee breakfast, bringing local businesses together. She wished all mothers a Happy Mother's Day and she wished everyone a happy Memorial Day and looked forward to the Memorial Day services.

Administrative Report: Mayor Hornik spoke of the National Take Your Kids To The Park Day; recent grant approvals; the 16th National Police Week; National Public Works Week; recognition of Thomas Klich, Marlboro's Construction Official - 2024 Electrical Inspector of the Year Award. He reminded everyone about Memorial Day and the 150th anniversary of the Freehold Memorial Day parade.

Councilman Scalea moved that the Council meeting minutes of April 18, 2024 be approved. This was seconded by Council Vice President Milman, and passed on a roll call vote of 5 - 0 in favor.

Councilwoman Viridi introduced a motion to open the public hearing for Ordinance #2024-014 (Ordinance Appropriating \$750,000 New Jersey Department of Environmental Protection Green Acres Grant) this was seconded by Council Vice President Milman and approved by unanimous voice vote in favor. Council President DiNuzzo asked if anyone from the public wished to speak.

With no one from the public wishing to comment, Councilman Qazi offered a motion to close the public hearing, seconded by Councilwoman Viridi and approved by unanimous voice vote in favor.

The following Ordinance #2024-014 (Ordinance Appropriating \$750,000 New Jersey Department of Environmental Protection Green Acres Grant) was introduced by reference, offered by Councilman Qazi, seconded by Council Vice President Milman and adopted on a roll call vote of 5 - 0 in favor.

ORDINANCE #2024-014

ORDINANCE APPROPRIATING \$750,000 NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION GREEN ACRES GRANT, FOR THE PRESERVATION OF OPEN SPACE IN AND BY THE TOWNSHIP OF MARLBORO, IN THE COUNTY OF MONMOUTH, NEW JERSEY.

Council Vice President Milman introduced a motion to open the public hearing for Ordinance #2024-015 (Ordinance Appropriating a \$450,000 Grant to be Received by the Township for Safe Routes to School in and for the Township of Marlboro) this was seconded by Councilman Qazi and approved by unanimous voice vote in favor. Council President DiNuzzo asked if anyone from the public wished to speak.

With no one from the public wishing to comment, Councilman Qazi offered a motion to close the public hearing, seconded by Councilwoman Viridi and approved by unanimous voice vote in favor.

The following Ordinance #2024-015 (Ordinance Appropriating a \$450,000 Grant to be Received by the Township for Safe Routes to School in and for the Township of Marlboro) was introduced by reference, offered by Councilman Scalea, seconded by Councilwoman Viridi and adopted on a roll call vote of 5 - 0 in favor.

ORDINANCE #2024-015

AN ORDINANCE OF THE TOWNSHIP OF MARLBORO, IN THE COUNTY OF MONMOUTH, NEW JERSEY, APPROPRIATING A \$450,000 GRANT TO BE RECEIVED BY THE TOWNSHIP FOR SAFE ROUTES TO SCHOOL IN AND FOR THE TOWNSHIP OF MARLBORO, IN THE COUNTY OF MONMOUTH, NEW JERSEY

Councilwoman Viridi introduced a motion to open the public hearing for Ordinance #2024-016 (Ordinance Authorizing the Township of Marlboro to Acknowledge and Consent to an Easement Between the State of New Jersey and the County of Monmouth Concerning the Construction and use of the Proposed Henry Hudson Trail Extension Project) this was seconded by Council Vice President Milman and approved by unanimous voice vote in favor. Council President DiNuzzo asked if anyone from the public wished to speak.

Mr. John GiBardi inquired about the status of the hospital property. With no one else from the public wishing to comment, Councilwoman Viridi offered a motion to close the public hearing, seconded by Council Vice President Milman and approved by unanimous voice vote in favor.

The following Ordinance #2024-016 (Ordinance Authorizing the Township of Marlboro to Acknowledge and Consent to an Easement Between the State of New Jersey and the County of Monmouth Concerning the Construction and use of the Proposed Henry Hudson Trail Extension Project) was introduced by reference, offered by Councilman Scalea, seconded by Councilwoman Viridi and adopted on a roll call vote of 5 - 0 in favor.

ORDINANCE #2024-016

AN ORDINANCE AUTHORIZING THE TOWNSHIP OF MARLBORO TO ACKNOWLEDGE AND CONSENT TO AN EASEMENT BETWEEN THE STATE OF NEW JERSEY AND THE COUNTY OF MONMOUTH CONCERNING THE CONSTRUCTION AND USE OF THE PROPOSED HENRY HUDSON TRAIL EXTENSION PROJECT ON PROPERTY OWNED BY THE STATE AT BLOCK 159, P/O LOT 11, AND TO ACQUIRE A UTILITY EASEMENT DEDICATED FROM THE STATE OF NEW JERSEY FOR THE PURPOSE OF OPERATING AND MAINTAINING A WATER MAIN ON SAID PROPERTY IN PERPETUITY

The following Ordinance #2024-017 (Ordinance Amending Chapter 220, "Land Use Development", by Amending Article VIII, "Subdivisions Signs and Performance Standards", Subsections 220-147 Through 22-158 entitled "scope and purpose of Storm Water Management Requirements" of the Revised Code of the Township of Marlboro) was introduced by reference, offered by Council Vice President Milman, seconded by Councilwoman Viridi and passed on a roll call vote of 5 - 0 in favor.

ORDINANCE #2024-017

AN ORDINANCE AMENDING CHAPTER 220, "LAND USE DEVELOPMENT", BY AMENDING ARTICLE VIII, "SUBDIVISIONS SIGNS AND PERFORMANCE STANDARDS", SUBSECTIONS 220-147 through 22-158 ENTITLED "SCOPE AND PURPOSE OF STORMWATER MANAGEMENT REQUIREMENTS" OF THE REVISED CODE OF THE TOWNSHIP OF MARLBORO

WHEREAS, the New Jersey Department of Environmental Protection (NJDEP) has drafted an updated model stormwater ordinance which municipalities must adopt by July 18, 2024 to incorporate these updates; and

WHEREAS, NJDEP has now required that all major stormwater development projects include analysis using both current and projected rainfall rates; and

WHEREAS, NJDEP has now required that design engineer utilize the National Resource Conservation Service (NRCS) methodology to analyze and demonstrate compliance with applicable stormwater management standards; and

WHEREAS, the Township Engineer has reviewed the updated model ordinance and has made revisions to the Township Stormwater Management Ordinance at Chapter 220, Article VIII, Subsections 220-147 through 220-158 entitled "Scope and Purpose of Stormwater Management Requirements" in accordance with the recommended updates; and

WHEREAS, runoff water from storms needs to be clean of debris and pollutants so that drinking water and waterways are clean for all which can be achieved by appropriate Stormwater Management; and

WHEREAS, the Mayor and Council have determined it is in the best interest of its residents to adopt the recommended updates to the stormwater management ordinance to better protect water quality by reducing pollution runoff through the implementation of required green infrastructure technologies;

NOW, THEREFORE, BE IT ORDAINED, by the governing body of the Township of Marlboro that Chapter 220, "Land Use Development", Article VIII, "Subdivision Signs and Performance Standards", subsection 220-147 through 220-158 entitled "Scope and purpose of stormwater management requirements" is hereby revised to read as follows:

1. § 220-147 Scope and purpose of stormwater management requirements.

- A. Policy statement. Flood control, groundwater recharge, and pollutant reduction shall be achieved through the use of stormwater management measures, including green infrastructure Best Management Practices (GI BMPs) and nonstructural stormwater management strategies. GI BMPs and low impact development (LID) should be utilized to meet the goal of maintaining natural hydrology to reduce stormwater runoff volume, reduce erosion, encourage infiltration and groundwater recharge, and reduce pollution. GI BMPs and LID should be developed based upon physical site conditions and the origin, nature, and the anticipated quantity or amount of potential pollutants. Multiple stormwater management BMPs may be necessary to achieve the established performance standards for water quality, quantity, and groundwater recharge.
- B. Purpose. It is the purpose of §§ 220-147 through 220-158 to establish minimum stormwater management requirements and controls for major development, as defined in § 220-148.
- C. Applicability.
 - a. (1) Sections 220-147 through 220-158 shall be applicable to all site plans and subdivisions for the following major developments that require preliminary or final site plan or subdivision review:
 - i. Nonresidential major developments; and
 - ii. Aspects of residential major developments that are not regulated by the Residential Site Improvement Standards at N.J.A.C. 5:21.

- b. Sections 220-147 through 220-158 shall also be applicable to all major developments undertaken by Township of Marlboro.
- c. An application required by ordinance pursuant to C(1) above that has been submitted prior to **the adoption date of June 20, 2024** shall be subject to the stormwater management requirements in effect on **1 day prior to the June 20, 2024 adoption date of this ordinance.**
- d. An application required by ordinance for approval pursuant to C(1) above that has been submitted on or after March 2, 2021, but prior to **the adoption date of June 20, 2024**, shall be subject to the stormwater management requirements in effect on **1 day prior to the June 20, 2024 adoption date of this ordinance.**
- e. Notwithstanding any rule to the contrary, a major development for any public roadway or railroad project conducted by a public transportation entity that has determined a preferred alternative or reached an equivalent milestone before July 17, 2023, shall be subject to the stormwater management requirements in effect prior to July 17, 2023.

c. Compatibility with other permit and ordinance requirements. Development approvals issued for subdivisions and site plans pursuant to §§ 220-147 through 220-158 are to be considered an integral part of development approvals under the subdivision and site plan review process and do not relieve the applicant of the responsibility to secure required permits or approvals for activities regulated by any other applicable code, rule, act, or ordinance. In their interpretation and application, the provisions of §§ 220-147 through 220-158 shall be held to be the minimum requirements for the promotion of the public health, safety, and general welfare. Sections 220-147 through 220-158 are not intended to interfere with or annul any other ordinances, rule or regulation, statute, or other provision of law except that, where any provision of these sections imposes restrictions different from those imposed by any other ordinance, rule or regulation, or other provision of law, the more restrictive provisions or higher standards shall apply.

2. § 220-148 Definitions related to stormwater management.

For the purpose of §§ 220-147 through 220-158, the following terms, phrases, words and their derivations shall have the meanings stated herein unless their use in the text of this Chapter clearly demonstrates a different meaning. When not inconsistent with the context, words used in the present tense include the future, words

used in the plural number include the singular number, and words used in the singular number include the plural number. The word "shall" is always mandatory and not merely directory. The definitions below are the same as or based on the corresponding definitions in the Stormwater Management Rules at N.J.A.C. 7:8-1.2.

AGRICULTURAL DEVELOPMENT

Land uses normally associated with the production of food, fiber and livestock for sale. Such uses do not include the development of land for the processing or sale of food and the manufacturing of agriculturally related products.

CAFRA CENTERS, CORES OR NODES

The areas with boundaries incorporated by reference or revised by the Department in accordance with N.J.A.C. 7:7-13.16.

CAFRA PLANNING MAP

The map used by the Department to identify the location of Coastal Planning Areas, CAFRA centers, CAFRA cores, and CAFRA nodes. The CAFRA Planning Map is available on the Department's Geographic Information System (GIS).

COMMUNITY BASIN

An infiltration system, sand filter designed to infiltrate, standard constructed wetland, or wet pond, established in accordance with N.J.A.C. 7:8-4.2(c)14, that is designed and constructed in accordance with the New Jersey Stormwater Best Management Practices Manual, or an alternate design, approved in accordance with N.J.A.C. 7:8-5.2(g), for an infiltration system, sand filter designed to infiltrate, standard constructed wetland, or wet pond and that complies with the requirements of this chapter.

COMPACTION

The increase in soil bulk density.

CONTRIBUTORY DRAINAGE AREA

The area from which stormwater runoff drains to a stormwater management measure, not including the area of the stormwater management measure itself.

CORE

A pedestrian-oriented area of commercial and civic uses serving the surrounding municipality, generally including housing and access to public transportation.

COUNTY REVIEW AGENCY

An agency designated by the County Commissioners to review the Township of Marlboro's stormwater management plans and implementing ordinance(s). The county review agency may either be:

- A. A county planning agency; or
- B. A county water resource association created under N.J.S.A. 58:16A-55.5, if the ordinance or resolution delegates authority to approve, conditionally approve, or disapprove municipal stormwater management plans and implementing ordinances.

DEPARTMENT

The New Jersey Department of Environmental Protection.

DESIGNATED CENTER

A State Development and Redevelopment Plan Center as designated by the State Planning Commission such as urban, regional, town, village, or hamlet.

DESIGN ENGINEER

A person professionally qualified and duly licensed in New Jersey to perform engineering services that may include, but not necessarily be limited to, development of project requirements, creation and development of project design and preparation of drawings and specifications.

DEVELOPMENT

The division of a parcel of land into two or more parcels, the construction, reconstruction, conversion, structural alteration, relocation or enlargement of any building or structure, any mining excavation or landfill, and any use or change in the use of any building or other structure, or land or extension of use of land, by any person, for which permission is required under the Municipal Land Use Law, N.J.S.A. 40:55D-1 et seq. In the case of development of agricultural lands, "development" means any activity that requires a state permit; any activity reviewed by the County Agricultural Board (CAB) and the State Agricultural

Development Committee (SADC), and municipal review of any activity not exempted by the Right to Farm Act, N.J.S.A. 4:1C-1 et seq.

DISTURBANCE

The placement or reconstruction of impervious surface or motor vehicle surface, or exposure and/or movement of soil or bedrock or clearing, cutting, or removing of vegetation. Milling and repaving is not considered disturbance for the purposes of this definition.

DRAINAGE AREA

A geographic area within which stormwater, sediments, or dissolved materials drain to a particular receiving water body or to a particular point along a receiving water body.

EMPOWERMENT NEIGHBORHOODS

Neighborhoods designated by the Urban Coordinating Council "in consultation and conjunction with" the New Jersey Redevelopment Authority pursuant to N.J.S.A 55:19-69.

ENVIRONMENTALLY CONSTRAINED AREA

The following areas where the physical alteration of the land is in some way restricted, either through regulation, easement, deed restriction or ownership such as: wetlands, floodplains, threatened and endangered species sites or designated habitats, and parks and preserves. Habitats of endangered or threatened species are identified using the Department's Landscape Project as approved by the Department's Endangered and Nongame Species Program.

ENVIRONMENTALLY CRITICAL AREA

An area or feature which is of significant environmental value, including but not limited to stream corridors; natural heritage priority sites; habitat of endangered or threatened species; large areas of contiguous open space or upland forest; steep slopes; and wellhead protection and groundwater recharge areas. Habitats of endangered or threatened species are identified using the Department's Landscape Project as approved by the Department's Endangered and Nongame Species Program.

EROSION

The detachment and movement of soil or rock fragments by water, wind, ice or gravity.

FLOOD HAZARD AREA

Area of potential risk due to sudden and temporary increase of surface water flow due to a storm event, typically, the one-hundred-year storm.

GREEN INFRASTRUCTURE

A stormwater management measure that manages stormwater close to its source by:

- a. Treating stormwater runoff through infiltration into subsoil;
- b. Treating stormwater runoff through filtration by vegetation or soil; or
- c. Storing stormwater runoff for reuse.

HUC 14 OR "HYDROLOGIC UNIT CODE 14"

An area within which water drains to a particular receiving surface water body, also known as a subwatershed, which is identified by a 14-digit hydrologic unit boundary designation, delineated within New Jersey by the United States Geological Survey.

IMPERVIOUS SURFACE

A surface that has been covered with a layer of material so that it is highly resistant to infiltration by water.

INFILTRATION

The process by which water seeps into the soil from precipitation.

LEAD PLANNING AGENCY

One or more public entities having stormwater management planning authority designated by the regional stormwater management planning committee pursuant to N.J.A.C. 7:8-3.2, that serves as the primary committee representative.

MAJOR DEVELOPMENT

A. An individual "development," as well as multiple developments that individually or collectively result in:

- a. The disturbance of one or more acres of land since February 2, 2004;

- b. The creation of one-quarter acre or more of "regulated impervious surface" since February 2, 2004;
- c. The creation of one-quarter acre or more of "regulated motor vehicle surface" since March 2, 2021 *{or the effective date of this ordinance, whichever is earlier}*;
or
- d. A combination of 2 and 3 above that totals an area of one-quarter acre or more. The same surface shall not be counted twice when determining if the combination area equals one-quarter acre or more.

B. Major development includes all developments that are part of a common plan of development or sale (for example, phased residential development) that collectively or individually meet any one or more of paragraphs 1, 2, 3, or 4 above. Projects undertaken by any government agency that otherwise meet the definition of "major development" but which do not require approval under the Municipal Land Use Law, N.J.S.A. 40:55D-1 et seq., are also considered "major development."

MITIGATION

An action by an applicant providing compensation or offset actions for on-site stormwater management requirements where the applicant has demonstrated the inability or impracticability of strict compliance with the stormwater management requirements set forth in N.J.A.C. 7:8, in an adopted regional stormwater management plan, or in 220-147 through 220-158, and has received a waiver from strict compliance from the municipality. Mitigation, for the purposes of §§ 220-147 through 220-158, includes both the mitigation plan, detailing how the project's applicant's failure to strictly comply will be compensated, and the implementation of the approved mitigation plan within the same HUC-14 subwatershed within which the subject project is proposed (if possible and practical), or a contribution of funding toward a regional stormwater management plan, or provision for equivalent treatment at an alternative location, or other equivalent water quality benefit.

MOTOR VEHICLE

Land vehicles propelled other than by muscular power, such as automobiles, motorcycles, autocycles, and low speed vehicles. For the purposes of this definition, motor vehicle does not include farm equipment, snowmobiles, all-terrain vehicles, motorized wheelchairs, go-carts, gas buggies, golf carts, ski-slope grooming machines, or vehicles that run only on rails or tracks.

MOTOR VEHICLE SURFACE

Any pervious or impervious surface that is intended to be used by "motor vehicles" and/or aircraft, and is directly exposed to precipitation including, but not limited to, driveways, parking areas, parking garages, roads, racetracks, and runways.

MUNICIPALITY

Marlboro Township.

NEW JERSEY STORMWATER BEST MANAGEMENT PRACTICES (BMP) MANUAL OR "BMP MANUAL"

The manual maintained by the Department providing, in part, design specifications, removal rates, calculation methods, and soil testing procedures approved by the Department as being capable of contributing to the achievement of the stormwater management standards specified in this chapter. The BMP Manual is periodically amended by the Department as necessary to provide design specifications on additional best management practices and new information on already included practices reflecting the best available current information regarding the particular practice and the Department's determination as to the ability of that best management practice to contribute to compliance with the standards contained in this chapter. Alternative stormwater management measures, removal rates, or calculation methods may be utilized, subject to any limitations specified in this chapter, provided the design engineer demonstrates to the municipality, in accordance with Section 220-150F of this ordinance and N.J.A.C. 7:8-5.2(g), that the proposed measure and its design will contribute to achievement of the design and performance standards established by this chapter.

NODE

An area designated by the State Planning Commission concentrating facilities and activities that are not organized in a compact form.

NUTRIENT

A chemical element or compound, such as nitrogen or phosphorus, which is essential to and promotes the development of organisms.

PERSON

Any individual, corporation, company, partnership, firm, association, the Township of Marlboro or political subdivision of this state subject to municipal jurisdiction pursuant to the Municipal Land Use Law, N.J.S.A. 40:55D-1 et seq.

POLLUTANT

Any dredged spoil, solid waste, incinerator residue, filter backwash, sewage, garbage, refuse, oil, grease, sewage sludge, munitions, chemical wastes, biological materials, medical wastes, radioactive substance (except those regulated under the Atomic Energy Act of 1954, as amended (42 U.S.C. §§ 2011 et seq.)), thermal waste, wrecked or discarded equipment, rock, sand, cellar dirt, industrial, municipal, agricultural, and construction waste or runoff, or other residue discharged directly or indirectly to the land, ground waters or surface waters of the State, or to a domestic treatment works. Includes both hazardous and nonhazardous pollutants.

PUBLIC ROADWAY OR RAILROAD –

A pathway for use by motor vehicles or trains that is intended for public use and is constructed by, or on behalf of, a public transportation entity. A public roadway or railroad does not include a roadway or railroad constructed as part of a private development, regardless of whether the roadway or railroad is ultimately to be dedicated to and/or maintained by a governmental entity.

PUBLIC TRANSPORTATION ENTITY

A Federal, State, county, or municipal government, an independent State authority, or a statutorily authorized public-private partnership program pursuant to P.L. 2018, c. 90 (N.J.S.A. 40A:11-52 et seq.), that performs a public roadway or railroad project that includes new construction, expansion, reconstruction, or improvement of a public roadway or railroad.

RECHARGE

The volume of water from precipitation that infiltrates into the ground and is not evapotranspired.

REGULATED IMPERVIOUS SURFACE

A. Any of the following, alone or in combination:

a. A net increase of impervious surface;

b. The total area of impervious surface collected by a new stormwater conveyance system (for the purpose of this definition, a "new stormwater conveyance system" is a stormwater conveyance system that is constructed where one did not exist immediately prior to its construction or an existing system for which a new discharge location is created);

- c. The total area of impervious surface proposed to be newly collected by an existing stormwater conveyance system; and/or
- d. The total area of impervious surface collected by an existing stormwater conveyance system where the capacity of that conveyance system is increased.

REGULATED MOTOR VEHICLE SURFACE

A. Any of the following, alone or in combination:

- (1) The total area of motor vehicle surface that is currently receiving water;
 - a. A net increase in motor vehicle surface; and/or quality treatment either by vegetation or soil, by an existing stormwater management measure, or by treatment at a wastewater treatment plant, where the water quality treatment will be modified or removed.

SEDIMENT

Solid material, mineral or organic, that is in suspension, is being transported, or has been moved from its site of origin by air, water or gravity as a product of erosion.

SITE

The lot or lots upon which a development is to occur or has occurred.

SOIL

All unconsolidated mineral and organic material of any origin.

SOLID AND FLOATABLE MATERIALS

Sediment, debris, trash, and other floating, suspended, or settleable solids.

STATE DEVELOPMENT AND REDEVELOPMENT PLAN METROPOLITAN PLANNING AREA (PA1)

An area delineated on the State Plan Policy Map and adopted by the State Planning Commission that is intended to be the focus for much of the state's future redevelopment and revitalization efforts.

STATE PLAN POLICY MAP

The geographic application of the State Development and Redevelopment Plan's goals and statewide policies, and the official map of these goals and policies.

STORMWATER

Water resulting from precipitation (including rain and snow) that runs off the land's surface, is transmitted to the subsurface, or is captured by separate storm sewers or other sewage or drainage facilities, or conveyed by snow removal equipment.

STORMWATER MANAGEMENT BMP

An excavation or embankment and related areas designed to retain stormwater runoff. A stormwater management BMP may either be normally dry (that is, a detention basin or infiltration system), retain water in a permanent pool (a retention basin), or be planted mainly with wetland vegetation (most constructed stormwater wetlands).

STORMWATER MANAGEMENT BASIN

An excavation or embankment and related areas designed to retain stormwater runoff. A stormwater management basin may either be normally dry (that is, a detention basin or infiltration basin), retain water in a permanent pool (a retention basin), or be planted mainly with wetland vegetation (most constructed stormwater wetlands).

STORMWATER MANAGEMENT MEASURE

Any structural or nonstructural strategy, practice, technology, process, program, or other method intended to control or reduce stormwater runoff and associated pollutants, or to induce or control the infiltration or groundwater recharge of stormwater or to eliminate illicit or illegal non-stormwater discharges into stormwater conveyances.

STORMWATER MANAGEMENT PLANNING AGENCY

A public body authorized by legislation to prepare stormwater management plans.

STORMWATER MANAGEMENT PLANNING AREA

The geographic area for which a stormwater management planning agency is authorized to prepare stormwater management plans, or a specific portion of that area identified in a stormwater management plan prepared by that agency.

STORMWATER RUNOFF

Water flow on the surface of the ground or in storm sewers, resulting from precipitation.

TIDAL FLOOD HAZARD AREA

A flood hazard area in which the flood elevation resulting from the two-, 10-, or 100-year storm, as applicable, is governed by tidal flooding from the Atlantic Ocean. Flooding in a tidal flood hazard area may be contributed to, or influenced by, stormwater runoff from inland areas, but the depth of flooding generated by the tidal rise and fall of the Atlantic Ocean is greater than flooding from any fluvial sources. In some situations, depending upon the extent of the storm surge from a particular storm event, a flood hazard area may be tidal in the 100-year storm, but fluvial in more frequent storm events.

TIME OF CONCENTRATION

The time it takes for runoff to travel from the hydraulically most distant point of the watershed to the point of interest within a watershed.

TOTAL SUSPENDED SOILS

The sum of dissolved and undissolved solids and particulate matter of a buoyancy and/or specific gravity that prohibits their settling in runoff.

URBAN COORDINATING COUNCIL EMPOWERMENT NEIGHBORHOOD

A neighborhood given priority access to State resources through the New Jersey Redevelopment Authority.

URBAN ENTERPRISE ZONES

A zone designated by the New Jersey Enterprise Zone Authority pursuant to the New Jersey Urban Enterprise Zones Act, N.J.S.A. 52:27H-60 et. seq.

URBAN REDEVELOPMENT AREA

A. Previously developed portions of areas:

- a. Delineated on the State Plan Policy Map (SPPM) as the Metropolitan Planning Area (PA1), Designated Centers, Cores or Nodes;
- b. Designated as CAFRA Centers, Cores or Nodes;
- c. Designated as Urban Enterprise Zones; and

- d. Designated as Urban Coordinating Council Empowerment Neighborhoods.

WATER CONTROL STRUCTURE

A structure within, or adjacent to, a water, which intentionally or coincidentally alters the hydraulic capacity, the flood elevation resulting from the two-, 10-, or 100-year storm, flood hazard area limit, and/or floodway limit of the water. Examples of a water control structure may include a bridge, culvert, dam, embankment, ford (if above grade), retaining wall, and weir.

WATERS OF THE STATE

The ocean and its estuaries, all springs, streams, wetlands, and bodies of surface or groundwater, whether natural or artificial, within the boundaries of the State of New Jersey or subject to its jurisdiction.

WETLANDS or WETLAND

An area that is inundated or saturated by surface water or groundwater at a frequency and duration sufficient to support, and that under normal circumstances does support, a prevalence of vegetation typically adapted for life in saturated soil conditions, commonly known as "hydrophytic vegetation."

3. 220-149 Design and performance standards for stormwater management measures.

A. Stormwater management measures for major development shall be designed to provide erosion control, groundwater recharge, stormwater runoff quantity control, and stormwater runoff quality treatment as follows:

- a. The minimum standards for erosion control are those established under the Soil and Sediment Control Act, N.J.S.A. 4:24-39 et seq., and implementing rules at N.J.A.C. 2:90.
- b. The minimum standards for groundwater recharge, stormwater quality, and stormwater runoff quantity shall be met by incorporating green infrastructure.

B. The standards in §§ 220-147 through 220-158 apply only to new major development and are intended to minimize the impact of stormwater runoff on water quality and water quantity in receiving water bodies and maintain groundwater recharge. The standards do not apply to new major development to the extent that alternative design and performance standards are applicable under a regional stormwater management plan or Water Quality Management Plan

adopted in accordance with Department rules.

4. § 220-150 Stormwater management requirements for major development.

- A. The development shall incorporate a maintenance plan for the stormwater management measures incorporated into the design of a major development in accordance with § 220-156.
- B. Stormwater management measures shall avoid adverse impacts of concentrated flow on habitats for threatened and endangered species as documented in the Department's Landscape Project or Natural Heritage Database established under N.J.S.A. 13:1B-15.147 through 15.150, particularly *Helonias bullata* (swamp pink) and/or *Clemmys muhlenbergi* (bog turtle).
- C. The following linear development projects are exempt from the groundwater recharge, stormwater runoff quantity, and stormwater runoff quality requirements of Subsections P and Q:
 - (1) The construction of an underground utility line, provided that the disturbed areas are revegetated upon completion;
 - (2) The construction of an aboveground utility line, provided that the existing conditions are maintained to the maximum extent practicable; and
 - (3) The construction of a public pedestrian access, such as a sidewalk or trail with a maximum width of 14 feet, provided that the access is made of permeable material.
- D. A waiver from strict compliance from the green infrastructure groundwater recharge, stormwater runoff quantity, and stormwater runoff quality requirements of Subsections O, P and Q may be obtained for the enlargement of an existing public roadway, or the construction or enlargement of a public pedestrian access, provided that the following conditions are met:
 - (1) The applicant demonstrates that there is a public need for the project that cannot be accomplished by any other means;
 - (2) The applicant demonstrates through an alternatives analysis, that through the use of nonstructural and structural stormwater management strategies and measures, the option selected complies with the requirements of Subsections O, P and Q to the maximum extent practicable;
 - (3) The applicant demonstrates that, in order to meet the requirements of Subsections O, P and Q, existing structures

currently in use, such as homes and buildings, would need to be condemned; and

(4) The applicant demonstrates that it does not own or have other rights to areas, including the potential to obtain through condemnation lands not falling under Subsection D(3) above within the upstream drainage area of the receiving stream, that would provide additional opportunities to mitigate the requirements of Subsections O, P and Q that were not achievable on site.

E. Tables 1 through 3 below summarize the ability of stormwater best management practices identified and described in the New Jersey Stormwater Best Management Practices Manual to satisfy the green infrastructure, groundwater recharge, stormwater runoff quality and stormwater runoff quantity standards specified in Subsections O, P, and Q. When designed in accordance with the most current version of the New Jersey Stormwater Best Management Practices Manual, the stormwater management measures found at N.J.A.C. 7:8-5.2 (f) Tables 5-1, 5-2 and 5-3 and listed below in Tables 1, 2 and 3 are presumed to be capable of providing stormwater controls for the design and performance standards as outlined in the tables below. Upon amendments of the New Jersey Stormwater Best Management Practices to reflect additions or deletions of BMPs meeting these standards, or changes in the presumed performance of BMPs designed in accordance with the New Jersey Stormwater BMP Manual, the Department shall publish in the New Jersey Registers a notice of administrative change revising the applicable table. The most current version of the BMP Manual can be found on the Department's website at: https://njstormwater.org/bmp_manual2.htm

F. Where the BMP tables in the NJ Stormwater Management Rule are different due to updates or amendments with the tables in this ordinance the BMP Tables in the Stormwater Management rule at N.J.A.C. 7:8-5.2(f) shall take precedence.

Table 1 Green Infrastructure BMPs for Groundwater Recharge, Stormwater Runoff Quality, and/or Stormwater Runoff Quantity				
Best Management Practice	Stormwater Runoff Quality TSS Removal Rate (percent)	Stormwater Runoff Quantity	Groundwater Recharge	Minimum Separation from Seasonal High Water Table (feet)

Cistern	0	Yes	No	--
Dry Well ^(a)	0	No	Yes	2
Grass Swale	50 or less	No	No	2 ^(e) 1 ^(f)
Green Roof	0	Yes	No	--
Manufactured Treatment Device ^(a)	50 or 80	No	No	Dependent upon the device
Pervious Paving System ^(a)	80	Yes	Yes ^(b) No ^(c)	2 ^(b) 1 ^(c)
Small-Scale Bioretention	80 or 90	Yes	Yes ^(b) No ^(c)	2 ^(b) 1 ^(c)
Small-Scale Infiltration	80	Yes	Yes	2
Small-Scale Sand	80	Yes	Yes	2
Vegetative Filter	60-80	No	No	--

(Notes corresponding to annotations ^(a) through ^(g) are found below Table 3)

<p>Table 2 Green Infrastructure BMPs for Stormwater Runoff Quantity (or for Groundwater Recharge and/or Stormwater Runoff Quality with a Waiver or Variance from N.J.A.C. 7:8-5.3)</p>

Best Management Practice	Stormwater Runoff Quality SS Removal Rate (percent)	Stormwater Runoff Quantity	Groundwater Recharge	Minimum Separation from Seasonal High Water Table (feet)
Bioretention System	80 or 90	Yes	Yes ^(b) No ^(c)	2 ^(b) 1 ^(c)
Infiltration Basin	80	Yes	Yes	2
Sand Filter ^(b)	80	Yes	Yes	2
Standard Constructed Wetland	90	Yes	No	N/A
Wet Pond ^(d)	50-90	Yes	No	N/A

(Notes corresponding to annotations ^(b) through ^(d) are found below Table 3)

Table 3 BMPs for Groundwater Recharge, Stormwater Runoff Quality, and/or Stormwater Runoff Quantity only with a Waiver or Variance from N.J.A.C. 7:8-5.3				
Best Management Practice	Stormwater Runoff Quality SS Removal Rate (percent)	Stormwater Runoff Quantity	Groundwater Recharge	Minimum Separation from Seasonal High Water Table
Blue Roof	0	Yes	No	N/A
Extended Detention Basin	40-60	Yes	No	1
Manufactured Treatment Device ^(h)	50 or 80	No	No	Dependent upon the device

Sand Filter ^(c)	80	Yes	No	1
Subsurface Gravel Wetland	90	No	No	1
Wet Pond	50-90	Yes	No	N/A

Notes to Tables 1, 2, and 3:

- (a) subject to the applicable contributory drainage area limitation specified at Subsection 0(2);
- (b) designed to infiltrate into the subsoil;
- (c) designed with underdrains;
- (d) designed to maintain at least a 10-foot wide area of native vegetation along at least 50 percent of the shoreline and to include a stormwater runoff retention component designed to capture stormwater runoff for beneficial reuse, such as irrigation;
- (e) designed with a slope of less than two percent;
- (f) designed with a slope of equal to or greater than two percent;
- g) manufactured treatment devices that meet the definition of green infrastructure at Section 220-148;
- (h) manufactured treatment devices that do not meet the definition of green

G. An alternative stormwater management measure, alternative removal rate, and/or alternative method to calculate the removal rate may be used if the design engineer demonstrates the capability of the proposed alternative stormwater management measure and/or the validity of the alternative rate or method to the municipality. A copy of any approved alternative stormwater management measure, alternative removal rate, and/or alternative method to calculate the removal rate shall be provided to the Department in accordance with Section 220-153B. Alternative stormwater management measures may be used to satisfy the requirements at Subsection 0 only if the measures meet the definition of green infrastructure at Section 220-148. Alternative stormwater management measures that function in a similar manner to a BMP listed at Section 0(2) are subject to the contributory drainage area limitation specified at Section 0(2) for that similarly functioning BMP. Alternative stormwater management measures approved in accordance with this subsection that do not function in a similar manner to any BMP listed at Section 0.2 shall have a contributory drainage area less than or equal to 2.5 acres, except for alternative stormwater management measures that function similarly to cisterns, grass swales, green roofs, standard constructed wetlands, vegetative

filter strips, and wet ponds, which are not subject to a contributory drainage area limitation. Alternative measures that function similarly to standard constructed wetlands or wet ponds shall not be used for compliance with the stormwater runoff quality standard unless a variance in accordance with N.J.A.C. 7:8-4.6 or a waiver from strict compliance in accordance with Subsection D is granted from Subsection O.

H. Whenever the stormwater management design includes one or more BMPs that will infiltrate stormwater into subsoil, the design engineer shall assess the hydraulic impact on the groundwater table and design the site, so as to avoid adverse hydraulic impacts. Potential adverse hydraulic impacts include, but are not limited to, exacerbating a naturally or seasonally high water table, so as to cause surficial ponding, flooding of basements, or interference with the proper operation of subsurface sewage disposal systems or other subsurface structures within the zone of influence of the groundwater mound, or interference with the proper functioning of the stormwater management measure itself.

I. Design standards for stormwater management measures are as follows:

a. Stormwater management measures shall be designed to take into account the existing site conditions, including, but not limited to, environmentally critical areas; wetlands; flood-prone areas; slopes; depth to seasonal high water table; soil type, permeability, and texture; drainage area and drainage patterns; and the presence of solution-prone carbonate rocks (limestone);

b. Stormwater management measures shall be designed to minimize maintenance, facilitate maintenance and repairs, and ensure proper functioning. Trash racks shall be installed at the intake to the outlet structure, as appropriate, and shall have parallel bars with one-inch spacing between the bars to the elevation of the water quality design storm. For elevations higher than the water quality design storm, the parallel bars at the outlet structure shall be spaced no greater than one-third the width of the diameter of the orifice or one-third the width of the weir, with a minimum spacing between bars of one inch and a maximum spacing between bars of six inches. In addition, the design of trash racks must comply with the requirements of Section 220-154B;

c. Stormwater management measures shall be designed, constructed, and installed to be strong, durable, and corrosion resistant. Measures that are consistent with

the relevant portions of the Residential Site Improvement Standards at N.J.A.C. 5:21-7.3, 7.4, and 7.5 shall be deemed to meet this requirement;

- d. Stormwater management BMPs shall be designed to meet the minimum safety standards for stormwater management BMPs at Section 220-154; and
 - e. The size of the orifice at the intake to the outlet from the stormwater management BMP shall be a minimum of two and one-half inches in diameter.
- a. Manufactured treatment devices may be used to meet the requirements of this subchapter, provided the pollutant removal rates are verified by the New Jersey Corporation for Advanced Technology and certified by the Department. Manufactured treatment devices that do not meet the definition of green infrastructure at Section 220-148 may be used only under the circumstances described at Subsection O(4).
 - b. Any application for a new agricultural development that meets the definition of major development at Section 220-148 shall be submitted to the Soil Conservation District for review and approval in accordance with the requirements at Subsections O, P, and Q and any applicable Soil Conservation District guidelines for stormwater runoff quantity and erosion control. For purposes of this subsection, "agricultural development" means land uses normally associated with the production of food, fiber, and livestock for sale. Such uses do not include the development of land for the processing or sale of food and the manufacture of agriculturally related products.
 - c. If there is more than one drainage area, the groundwater recharge, stormwater runoff quality, and stormwater runoff quantity standards at Subsection P and Q shall be met in each drainage area, unless the runoff from the drainage areas converge onsite and no adverse environmental impact would occur as a result of compliance with any one or more of the individual standards being determined utilizing a weighted average of the results achieved for that individual standard across the affected drainage areas.
- J. Any stormwater management measure authorized under the municipal stormwater management plan or ordinance shall be reflected in a deed notice recorded in the Office of the County Clerk. A form of deed notice shall be submitted to the municipality for approval prior to filing. The deed notice

shall contain a description of the stormwater management measure(s) used to meet the green infrastructure, groundwater recharge, stormwater runoff quality, and stormwater runoff quantity standards at Subsection O, P and Q and shall identify the location of the stormwater management measure(s) in NAD 1983 State Plane New Jersey FIPS 2900 US Feet or Latitude and Longitude in decimal degrees. The deed notice shall also reference the maintenance plan required to be recorded upon the deed pursuant to Section X.B.5. Prior to the commencement of construction, proof that the above required deed notice has been filed shall be submitted to the municipality. Proof that the required information has been recorded on the deed shall be in the form of either a copy of the complete recorded document or a receipt from the clerk or other proof of recordation provided by the recording office. However, if the initial proof provided to the municipality is not a copy of the complete recorded document, a copy of the complete recorded document shall be provided to the municipality within 180 calendar days of the authorization granted by the municipality.

K. A stormwater management measure approved under the municipal stormwater management plan or ordinance may be altered or replaced with the approval of the municipality, if the municipality determines that the proposed alteration or replacement meets the design and performance standards pursuant to Section 220-148 of this ordinance and provides the same level of stormwater management as the previously approved stormwater management measure that is being altered or replaced. If an alteration or replacement is approved, a revised deed notice shall be submitted to the municipality for approval and subsequently recorded with the Office of the County Clerk and shall contain a description and location of the stormwater management measure, as well as reference to the maintenance plan, in accordance with (M) above. Prior to the commencement of construction, proof that the above required deed notice has been filed shall be submitted to the municipality in accordance with (M) above.

L. Green Infrastructure Standards

(1) This subsection specifies the types of green infrastructure BMPs that may be used to satisfy the groundwater recharge, stormwater runoff quality, and stormwater runoff quantity standards.

(2) To satisfy the groundwater recharge and stormwater runoff quality standards at Subsection P and Q, the design engineer shall utilize green infrastructure BMPs identified in Table 1 at Subsection F and/or an alternative stormwater management measure approved in accordance with Subsection

G. The following green infrastructure BMPs are subject to the following maximum contributory drainage area limitations:

Best Management Practice	Maximum Contributory Drainage Area
Dry Well	1 acre
Manufactured Treatment Device	2.5 acres
Pervious Pavement Systems	Area of additional inflow cannot exceed three times the area occupied by the BMP
Small-scale Bioretention Systems	2.5 acres
Small-scale Infiltration Basin	2.5 acres
Small-scale Sand Filter	a. acres

- c. To satisfy the stormwater runoff quantity standards at Subsection Q, the design engineer shall utilize BMPs from Table 1 or from Table 2 and/or an alternative stormwater management measure approved in accordance with Subsection G.
- d. If a variance in accordance with N.J.A.C. 7:8-4.6 or a waiver from strict compliance in accordance with Subsection D is granted from the requirements of this subsection, then BMPs from Table 1, 2, or 3, and/or an alternative stormwater management measure approved in accordance with Subsection G may be used to meet the groundwater recharge, stormwater runoff quality, and stormwater runoff quantity standards at Subsection P and Q.
- e. For separate or combined storm sewer improvement projects, such as sewer separation, undertaken by a government agency or public utility (for example, a sewerage company), the requirements of this subsection shall only apply to areas owned in fee simple by the government agency or utility, and areas within a right-of-way or easement held or controlled by the government agency or utility; the entity shall not be required to obtain additional property or property rights to fully satisfy the requirements of this subsection. Regardless of the amount of area of a separate or combined storm sewer improvement project subject to the green infrastructure requirements of this subsection, each project shall fully comply with the applicable groundwater recharge,

stormwater runoff quality control, and stormwater runoff quantity standards at Subsection P and Q, unless the project is granted a waiver from strict compliance in accordance with Subsection D.

a. Stormwater Runoff Quality Standards.

- a. This subsection contains the minimum design and performance standards to control stormwater runoff quality impacts of major development. Stormwater runoff quality standards are applicable when the major development results in an increase of one-quarter acre or more of regulated motor vehicle surface.
- b. Stormwater management measures shall be designed to reduce the post-construction load of total suspended solids (TSS) in stormwater runoff generated from the water quality design storm as follows:
 - i. Eighty percent TSS removal of the anticipated load, expressed as an annual average shall be achieved for the stormwater runoff from the net increase of motor vehicle surface.
 - ii. If the surface is considered regulated motor vehicle surface because the water quality treatment for an area of motor vehicle surface that is currently receiving water quality treatment either by vegetation or soil, by an existing stormwater management measure, or by treatment at a wastewater treatment plant is to be modified or removed, the project shall maintain or increase the existing TSS removal of the anticipated load expressed as an annual average.
- c. The requirement to reduce TSS does not apply to any stormwater runoff in a discharge regulated under a numeric effluent limitation for TSS imposed under the New Jersey Pollutant Discharge Elimination System (NJPDES) rules, N.J.A.C. 7:14A, or in a discharge specifically exempt under a NJPDES permit from this requirement. Every major development, including any that discharge into a combined sewer system, shall comply with 2 above, unless the major development is itself subject to a NJPDES permit with a numeric effluent limitation for TSS or the NJPDES permit to which the major development is subject exempts the development from a numeric effluent limitation for TSS.
- d. The water quality design storm is 1.25 inches of rainfall in two hours. Water quality calculations shall take into account the distribution of rain from the water quality design storm, as reflected in Table 4, below. The

calculation of the volume of runoff may take into account the implementation of stormwater management measures.

e. Table 4 - Water Quality Design Storm Distribution

Time (Minutes)	Cumulative Rainfall (Inches)	Time (Minutes)	Cumulative Rainfall (Inches)	Time (Minutes)	Cumulative Rainfall (Inches)
1	0.00166	41	0.1728	81	1.0906
2	0.00332	42	0.1796	82	1.0972
3	0.00498	43	0.1864	83	1.1038
4	0.00664	44	0.1932	84	1.1104
5	0.00830	45	0.2000	85	1.1170
6	0.00996	46	0.2117	86	1.1236
7	0.01162	47	0.2233	87	1.1302
8	0.01328	48	0.2350	88	1.1368
9	0.01494	49	0.2466	89	1.1434
10	0.01660	50	0.2583	90	1.1500
11	0.01828	51	0.2783	91	1.1550
12	0.01996	52	0.2983	92	1.1600
13	0.02164	53	0.3183	93	1.1650
14	0.02332	54	0.3383	94	1.1700
15	0.02500	55	0.3583	95	1.1750
16	0.03000	56	0.4116	96	1.1800
17	0.03500	57	0.4650	97	1.1850
18	0.04000	58	0.5183	98	1.1900
19	0.04500	59	0.5717	99	1.1950
20	0.05000	60	0.6250	100	1.2000
21	0.05500	61	0.6783	101	1.2050
22	0.06000	62	0.7317	102	1.2100
23	0.06500	63	0.7850	103	1.2150
24	0.07000	64	0.8384	104	1.2200
25	0.07500	65	0.8917	105	1.2250
26	0.08000	66	0.9117	106	1.2267
27	0.08500	67	0.9317	107	1.2284
28	0.09000	68	0.9517	108	1.2300
29	0.09500	69	0.9717	109	1.2317
30	0.10000	70	0.9917	110	1.2334
31	0.10660	71	1.0034	111	1.2351
32	0.11320	72	1.0150	112	1.2367
33	0.11980	73	1.0267	113	1.2384
34	0.12640	74	1.0383	114	1.2400
35	0.13300	75	1.0500	115	1.2417
36	0.13960	76	1.0568	116	1.2434
37	0.14620	77	1.0636	117	1.2450
38	0.15280	78	1.0704	118	1.2467
39	0.15940	79	1.0772	119	1.2483
40	0.16600	80	1.0840	120	1.2500

f. If more than one BMP in series is necessary to achieve the required eighty-percent TSS reduction for a site, the applicant shall utilize the following formula to calculate TSS reduction:

$$R = A + B - (AB)/100$$

Where:

R = total TSS percent load removal from application of both BMPs

A = the TSS percent removal rate applicable to the first BMP

B = the TSS percent removal rate applicable to the second BMP

- g. Stormwater management measures shall also be designed to reduce, to the maximum extent feasible, the post construction nutrient load of the anticipated load from the developed site in stormwater runoff generated from the water quality design storm. In achieving reduction of nutrients to the maximum extent feasible, the design of the site shall include green infrastructure BMP's that optimize nutrient removal while still achieving the performance standards in Subsections P and Q.
 - h. In accordance with the definition of "FW1" at N.J.A.C. 7:9B-1.4, stormwater management measures shall be designed to prevent any increase in stormwater runoff to waters classified as FW1.
 - i. The Flood Hazard Area Control Act Rules at N.J.A.C. 7:13-4.1(c)1 establish 300-foot riparian zones along Category One waters, as designated in the Surface Water Quality Standards at N.J.A.C. 7:9B, and certain upstream tributaries to Category One waters. A person shall not undertake a major development that is located within or discharges into a 300-foot riparian zone without prior authorization from the Department under N.J.A.C. 7:13.
 - j. Pursuant to the Flood Hazard Area Control Act Rules at N.J.A.C. 7:13-11.2(j)3.i, runoff from the water quality design storm that is discharged within a 300-foot riparian zone shall be treated in accordance with this subsection to reduce the post-construction load of total suspended solids by 95 percent of the anticipated load from the developed site, expressed as an annual average.
- (11) The stormwater runoff quality standards do not apply to the construction of one individual single-family dwelling, provided that it is not part of a larger development or subdivision that has received preliminary or final site plan approval prior to December 3, 2018, and that the motor vehicle surfaces are made of permeable material(s) such as gravel, dirt, and/or shells.

b. Erosion control, groundwater recharge and Stormwater runoff quantity standards.

- This subsection contains minimum design and performance standards to control erosion, encourage and control infiltration and groundwater recharge, and control stormwater runoff quantity impacts of major development.

a. The minimum design and performance standards for erosion control are those established under the Soil Erosion and Sediment Control Act, N.J.S.A. 4:24-39 et seq., and implementing rules.

b. The minimum design and performance standards for groundwater recharge are as follows:

i. The design engineer shall, using the assumptions and factors for stormwater runoff and groundwater recharge calculations at § 220-151, either:

a. Demonstrate through hydrologic and hydraulic analysis that the site and its stormwater management measures maintain 100% of the average annual preconstruction groundwater recharge volume for the site; or

b. Demonstrate through hydrologic and hydraulic analysis that the increase of stormwater runoff volume from preconstruction to post construction for the projected two-year storm, as defined and determined pursuant to Section 220-151E of this ordinance, is infiltrated.

a. This groundwater recharge requirement does not apply to projects within the urban redevelopment area, or to projects subject to Subsection Q(1)(b)[3] below.

b. The following types of stormwater shall not be recharged:

[a] Stormwater from areas of high pollutant loading. High pollutant loading areas are areas in industrial and commercial developments where solvents and/or petroleum products are loaded/unloaded, stored, or applied; areas where pesticides are loaded/unloaded or stored; areas where hazardous materials are expected to be present in greater than reportable quantities, as defined by the United States Environmental Protection Agency (EPA) at 40 CFR 302.4; areas where recharge would be inconsistent with Department-approved remedial action work plan

approved pursuant to the Administrative Requirements for the Remediation of Contaminated Sites rules, N.J.A.C. 7:26C, or Department landfill closure plan; and areas with high risks for spills of toxic materials, such as gas stations and vehicle maintenance facilities; and

[b] Industrial stormwater exposed to source material. "Source material" means any material(s) or machinery, located at an industrial facility, that is directly or indirectly related to process, manufacturing or other industrial activities, which could be a source of pollutants in any industrial stormwater discharge to groundwater. Source materials include, but are not limited to, raw materials; intermediate products; final products; waste materials; by-products; industrial machinery and fuels, and lubricants, solvents, and detergents that are related to process, manufacturing, or other industrial activities that are exposed to stormwater.

[4] The design engineer shall assess the hydraulic impact on the groundwater table and design the site so as to avoid adverse hydraulic impacts. Potential adverse hydraulic impacts include, but are not limited to, exacerbating a naturally or seasonally high water table so as to cause surficial ponding, flooding of basements, or interference with the proper operation of subsurface sewage disposal systems and other subsurface structures in the vicinity or down gradient of the groundwater recharge area.

(c) In order to control stormwater runoff quantity impacts, the design engineer shall, using the assumptions and factors for stormwater runoff calculations at § 220-151, complete one of the following:

1. Demonstrate through hydrologic and hydraulic analysis that for stormwater leaving the site, post-construction runoff hydrographs for the current and projected two-, ten-, and 100-year storm events, as defined and determined in Section 220-151D and Section 220-151E, respectively, of this ordinance, do not exceed, at any point in time, the pre-construction runoff hydrographs for the same storm events;

2. Demonstrate through hydrologic and hydraulic analysis that there is no increase, as compared to the preconstruction condition, in the peak runoff rates of stormwater leaving the site for the current and projected two-, ten-, and 100-year storm events, as defined and determined in Section 220-151D and Section 220-151E, respectively, of this ordinance, and that the increased volume or change in timing of stormwater runoff will not increase flood damage at or downstream of the site. This analysis shall include the analysis of impacts of existing land uses and projected land uses assuming full development under existing zoning and land use ordinances in the drainage area; or

3. Design stormwater management measures so that the post construction peak runoff rates for the current and projected two-, ten-, and 100-year storm events, as defined and determined in Section 220-151D and Section 220-151E, respectively, of this ordinance, are 50%, 75% and 80%, respectively, of the preconstruction peak runoff rates. The percentages apply only to the post construction stormwater runoff that is attributable to the portion of the site on which the proposed development or project is to be constructed. The percentages shall not be applied to post construction stormwater runoff ~~into~~ within tidal flood hazard areas if the design engineer demonstrates through hydrologic and hydraulic analysis that the increased volume, change in timing, or increased rate of stormwater runoff will not increase flood damages below the point of discharge;

b. The stormwater runoff quantity standards shall be applied at the site's boundary to each abutting lot, roadway, watercourse, or receiving storm sewer system.

(2) Any application for a new agricultural development that meets the definition of major development at § 220-148 shall be submitted to the Freehold Soils Conservation District (FSCD) for review and approval in accordance with the requirements of this section and any applicable FSCD guidelines for stormwater runoff quantity and erosion control.

5. § 220-151 Calculation of stormwater runoff and groundwater recharge.

A. Stormwater runoff shall be calculated in accordance with the following:

(1) The design engineer shall calculate runoff using the following methods:

- i. The USDA Natural Resources Conservation Service (NRCS) methodology, including the NRCS Runoff Equation and Dimensionless Unit Hydrograph, as described in the NRCS National Engineering Handbook Section 4 - Hydrology and Technical Release 55 - Urban Hydrology for Small Watersheds; or in Chapters 7, 9, 10, 15 and 16 Part 630, Hydrology National Engineering Handbook, incorporated herein by reference as amended and supplemented. This methodology is additionally described in Technical Release 55 - Urban Hydrology for Small Watersheds (TR-55), dated June 1986, incorporated herein by reference as amended and supplemented. Information regarding the methodology is available from the Natural Resources Conservation Service website at:

<https://directives.sc.egov.usda.gov/viewerFS.aspx?hid=21422>, or at United States Department of Agriculture Natural Resources Conservation Service, New Jersey State Office.

(2) For the purpose of calculating curve numbers and groundwater recharge, there is a presumption that the preconstruction condition of a site or portion thereof is a wooded land use with good hydrologic condition. The term "curve number" applies to the NRCS methodology at Subsection A(1)(a). A curve number or a groundwater recharge land cover for an existing condition may be used on all or a portion of the site if the design engineer verifies that the hydrologic condition has existed on the site or portion of the site for at least five years without interruption prior to the time of application. If more than one land cover has existed on the site during the five years immediately prior to the time of application, the land cover with the lowest runoff potential shall be used for the computations. In addition, there is the presumption that the site is in good hydrologic condition (if the land use type is pasture, lawn, or park), with good cover (if the land use type is woods), or with good hydrologic condition and conservation treatment (if the land use type is cultivation).

(3) In computing preconstruction stormwater runoff, the design engineer shall account for all significant land features and structures, such as ponds, wetlands, depressions, hedgerows, or culverts, that may reduce preconstruction stormwater runoff rates

and volumes.

- (4) In computing stormwater runoff from all design storms, the design engineer shall consider the relative stormwater runoff rates and/or volumes of pervious and impervious surfaces separately to accurately compute the rates and volume of stormwater runoff from the site. To calculate runoff from unconnected impervious cover, urban impervious area modifications as described in the NRCS Technical Release 55 - Urban Hydrology for Small Watersheds and other methods may be employed.
 - (5) If the invert of the outlet structure of a stormwater management measure is below the flood hazard design flood elevation as defined at N.J.A.C. 7:13, the design engineer shall take into account the effects of tailwater in the design of structural stormwater management measures.
- b. Groundwater recharge may be calculated in accordance with the following: The New Jersey Geological Survey Report GSR-32, A Method for Evaluating Ground- Water Recharge Areas in New Jersey, incorporated herein by reference as amended and supplemented. Information regarding the methodology is available from the New Jersey Stormwater Best Management Practices Manual; at the New Jersey Geological Survey website at: <https://www.nj.gov/dep/njgs/pricelst/gsreport/gsr32.pdf>, or at New Jersey Geological and Water Survey, 29 Arctic Parkway, PO Box 420 Mail Code 29-01, Trenton, New Jersey 08625-0420.
 - c. Designs of stormwater conduit systems shall utilize the twenty-five-year rainfall in accordance with § 220-151D(1) below.
 - d. The precipitation depths of the current two-, 10-, and 100-year storm events shall be determined by multiplying the values determined in accordance with items 1 and 2 below:
 - a. The applicant shall utilize the National Oceanographic and Atmospheric Administration (NOAA), National Weather Service's Atlas 14 Point Precipitation Frequency Estimates: NJ, in accordance with the location(s) of the drainage area(s) of the site. This data is available at https://hdsc.nws.noaa.gov/hdsc/pfds/pfds_map_cont.html?bkmrk=nj; and
 - b. The applicant shall utilize Table 5: Current Precipitation Adjustment Factors below, which sets forth the applicable multiplier for the drainage area(s) of the site, in accordance with the county or counties where the drainage area(s) of the site is located. Where the major development lies in more than one county, the precipitation values shall be adjusted according to the percentage of the drainage area in each county.

Alternately, separate rainfall totals can be developed for each county using the values in the table below.

Table 5: Current Precipitation Adjustment Factors

County	Current Precipitation Adjustment Factors		
	2-year Design Storm	10-year Design Storm	100-year Design Storm
<u>Monmouth</u>	<u>1.00</u>	<u>1.01</u>	<u>1.02</u>

- e. Table 6: Future Precipitation Change Factors provided below sets forth the change factors to be used in determining the projected two-, 10-, and 100-year storm events for use in this chapter, which are organized alphabetically by county. The precipitation depth of the projected two-, 10-, and 100-year storm events of a site shall be determined by multiplying the precipitation depth of the two-, 10-, and 100-year storm events determined from the National Weather Service's Atlas 14 Point Precipitation Frequency Estimates pursuant to (c)1 above, by the change factor in the table below, in accordance with the county or counties where the drainage area(s) of the site is located. Where the major development and/or its drainage area lies in more than one county, the precipitation values shall be adjusted according to the percentage of the drainage area in each county. Alternately, separate rainfall totals can be developed for each county using the values in the table below.

Table 6: Future Precipitation Change Factors

County	Future Precipitation Change Factors		
	2-year Design Storm	10-year Design Storm	100-year Design Storm
Monmouth	1.19	1.19	1.26

§ 220-152Standards for structural management measures.

- a. Stormwater management measure guidelines are available in the New Jersey Stormwater Best Management Practices Manual. Other stormwater management measures may be utilized provided the design engineer demonstrates that the proposed measure and its design will accomplish the required water quantity, groundwater recharge and water quality design and performance standards established by § 220-150.
- b. Manufactured treatment devices may be used to meet the requirements of § 220-150, provided the pollutant removal rates are verified by the New Jersey Corporation for Advanced Technology and certified by the Department.

c. Standards for stormwater collection systems.

- a. Velocities in closed conduits at design flow shall be at least two feet per second but not more than 10 feet per second.
- b. No pipe size in the storm drainage system shall be less than 15 inches in diameter.
- c. All discharge pipes shall terminate with a precast concrete flared end section or a cast-in-place concrete headwall with or without wingwalls as conditions dictate.
- d. The spacing of inlets shall be such that surface water shall not flow for more than 500 feet or the quantity of water is such that it causes ponding of water deeper than two inches at Type B and Type E inlets, whichever is the lesser distance. If, due to the slope of the approach prior to the inlet, 80% of the stormwater does not enter the inlet, decreased spacing and depth of water permissible shall be required. Sufficient inlets will be placed to eliminate any flow exceeding two cubic feet per second across any roadway intersection or pedestrian crosswalk.
- e. Dished gutters shall be permitted at any street intersection on rural and local streets and at the intersection of rural and local streets with minor collector streets and at the intersection of minor collector streets with major collector streets where the street of the lower classification is to be officially designated and signed as a stop street. In such cases, the dished gutter shall cross only the street of the lower classification. At the intersections of primary and secondary arterial streets and major collector streets, sufficient catch basins, at the discretion of the reviewing agency, shall be installed at each street intersection to avoid gutter overflow and at low points in the street grade, and dished gutters shall not be permitted.
- f. Manhole spacing shall increase with pipe size. The maximum spacing shall be 500 feet for 15 to 18 inches; 600 feet for 21 to 36 inches; and 700 feet for 42 inches and greater.

§ 220-152.1 Construction standards for pipe.

A. Storm sewer.

- (1) Materials used in the construction of storm sewers shall be constructed of reinforced concrete, ductile iron, corrugated aluminum or corrugated steel unless site and other conditions dictate otherwise. Reinforced concrete pipe shall be used unless the applicant can demonstrate that the use of other materials will be more beneficial due to the proposed installation. Cost will not be a consideration in this analysis. Specifications referred to, such as American Standards Association, American

Society for Testing and Materials, American Water Works Association, etc., should be the latest revision.

(2) Reinforced concrete pipe.

- (a) Circular reinforced concrete pipe and fittings shall meet the requirements of ASTM C-76.
- (b) Elliptical reinforced concrete pipe shall meet the requirements of ASTM C-507.
- (c) Joint design and joint material for circular pipe shall conform to ASTM C-443.
- (d) Joints for elliptical pipe shall be bell and spigot or tongue and groove, sealed with butyl, rubber tape or external sealing bands conforming to ASTM C-877.
- (e) All pipe shall be Class III unless a stronger pipe (i.e., higher class) is indicated to be necessary.
- (f) The minimum depth of cover over the concrete pipe shall be as designated by the American Concrete Pipe Association.

(3) Ductile iron pipe. Ductile iron pipe shall be centrifugally cast in metal or sand-lined molds to ANSI A21.51-1976 (AWWA C151-76). The joints shall conform to AWWA C111. Pipe shall be furnished with flanges where connections to flange fittings are required. Pipe should be Class 50 (minimum). The outside of the pipe should be coated with a uniform thickness of hot-applied coal tar coating and the inside lined cement in accordance with AWWA C104. Ductile iron pipe shall be installed with Class C ordinary bedding.

(4) Corrugated aluminum pipe. Within the public right-of-way and where severe topographic conditions or the desire to minimize the destruction of trees and vegetation exist, corrugated aluminum pipe, pipe arch or helical corrugated pipe may be used. The material shall comply with the Standard Specifications for Corrugated Aluminum Alloy Culvert and Under Drain AASHTO Designation M196 or the Standard Specification for Aluminum Alloy Helical Pipe AASHTO Designation M-211. The minimum thickness of the aluminum pipe to be used shall be:

- (a) Less than twenty-four-inch diameter or equivalent, 0.075 inch (fourteen-gauge).
- (b) Twenty-four-inch diameter and less than forty-eight-inch diameter or equivalent, 0.105 inch (twelve-gauge).
- (c) Forty-eight-inch but less than seventy-two-inch diameter or

equivalent, 0.135 inch (ten-gauge).

(d) Seventy-two-inch diameter or equivalent and larger, 0.164 inch (eight-gauge).

(5) Corrugated steel pipe. Corrugated steel pipe may be used in place of corrugated aluminum and shall meet the requirements of AASHTO Specification M36. Coupling bands and special sections shall also conform to AASHTO M-36. All corrugated steel pipe shall be bituminous coated in accordance with AASHTO M-190, Type A minimum.

(6) Pipe bedding shall be provided as specified in Design and Construction of Sanitary and Storm Sewers, ASCE Manuals and Reports on Engineering Practice Number 37, prepared by A Joint Committee of the Society of Civil Engineers and the Water Pollution Control Federation, New York, 1969.

B. Inlets, catch basins and manholes.

(1) Inlets, catch basins and manholes shall be designed in accordance with State Highway Department Standard Plans and Specifications. Frames shall be Campbell Foundry Company Pattern Number 2541, 2548, with eight-inch curb face, and 3432, 3440, for Type E inlets, or approved equal. All grates are to be bicycle grates.

(2) Manholes and catch basins shall be precast concrete, brick or concrete block, coated with two coats of portland cement mortar.

(3) If precast manhole barrels and cones are used, they shall conform to ASTM Specification C-473 with round rubber gasketed joints, conforming to ASTM Specification C-923. Maximum absorption shall be 8% in accordance with ASTM Specification C-478, Method A.

(4) If precast manholes are utilized, the top riser section shall terminate less than one foot below the finished grade and the manhole cover shall be flush with the finished grade.

(5) Manhole frames and covers shall be of cast iron conforming to ASTM Specification A-48 Class 30 and be suitable for H-20 loading capacity. All manhole covers in rights-of-way or in remote areas shall be provided with a locking device. The letters "Year 20 ____" and the words "STORM SEWER" shall be cast integrally in the cover.

C. Principal outlet structures.

(1) Outlet structures should be designed to facilitate outlet operation and maintenance as the water level rises and to

permit clearing either during or after a storm. Structural support members, steps, rungs or ladders should be provided to allow easy escape opportunities for a child or an adult without having these support members, ladders, etc., impede the clearing of trash from the outlet structure or the upward movement of trash as the water level rises.

- (2) The use of thin metal plates for trash rack bars, hand-hold supports, sharp crested weirs or orifices are prohibited because of the potential for accidents. Wire mesh fabric is similarly prohibited due to its poor suitability for trash clearance.
- (3) Any outlet protective facility should have lockable hinged connections providing adequate access to thoroughly clean the area enclosed by the structure and to facilitate removal of accumulated debris and sediment around the outlet structure.
- (4) All outlet structures shall be structurally sound and shall be designed to withstand, without failure or permanent deformation, all structural loads, hydrostatic, dynamic or otherwise, which impact upon it during the design life of the installation. They shall be maintenance free to the maximum extent possible.

D. Solids and Floatable Materials Control Standards

(1) Site design features identified under Section 220-150F, or alternative designs in accordance with Section 220-150G, to prevent discharge of trash and debris from drainage systems shall comply with the following standard to control passage of solid and floatable materials through storm drain inlets. For purposes of this paragraph, "solid and floatable materials" means sediment, debris, trash, and other floating, suspended, or settleable solids. For exemptions to this standard see Subsection (b) below.

i. Design engineers shall use one of the following grates whenever they use a grate in pavement or another ground surface to collect stormwater from that surface into a storm drain or surface water body under that grate:

[1] The New Jersey Department of Transportation (NJDOT) bicycle safe grate, which is described in Chapter 2.4 of the NJDOT Bicycle Compatible Roadways and Bikeways Planning and Design Guidelines; or

[2] A different grate, if each individual clear space in that grate has an area of no more than seven (7.0) square inches, or is no greater than 0.5 inches across the smallest dimension.

Examples of grates subject to this standard include grates in grate inlets, the grate portion (non-curb-opening portion) of combination inlets, grates on storm sewer manholes, ditch grates, trench grates, and grates of spacer bars in slotted drains. Examples of ground surfaces include surfaces of roads (including bridges), driveways, parking areas, bikeways, plazas, sidewalks, lawns, fields, open channels, and stormwater system floors used to collect stormwater from the surface into a storm drain or surface water body.

[3] For curb-opening inlets, including curb-opening inlets in combination inlets, the clear space in that curb opening, or each individual clear space if the curb opening has two or more clear spaces, shall have an area of no more than seven (7.0) square inches, or be no greater than two (2.0) inches across the smallest dimension.

ii. The standard in (a) above does not apply:

[1] Where each individual clear space in the curb opening in existing curb-opening inlet does not have an area of more than nine (9.0) square inches;

[2] Where the municipality agrees that the standards would cause inadequate hydraulic performance that could not practicably be overcome by using additional or larger storm drain inlets;

[3] Where flows from the water quality design storm as specified in N.J.A.C. 7:8 are conveyed through any device (e.g., end of pipe netting facility, manufactured treatment device, or a catch basin hood) that is designed, at a minimum, to prevent delivery of all solid and floatable materials that could not pass through one of the following:

[a] A rectangular space four and five-eighths (4.625) inches long and one and one-half (1.5) inches wide (this option does not apply for outfall netting facilities); or

[b] A bar screen having a bar spacing of 0.5 inches.

Note that these exemptions do not authorize any infringement of requirements in the Residential Site Improvement Standards for bicycle safe grates in new residential development (N.J.A.C. 5:21-4.18(b)2 and 7.4(b)1).

[4] Where flows are conveyed through a trash rack that has parallel bars with one-inch (1 inch) spacing between the bars, to the elevation of the Water Quality Design Storm as specified in N.J.A.C. 7:8; or

[5] Where the New Jersey Department of Environmental Protection determines, pursuant to the New Jersey Register of Historic Places Rules at N.J.A.C. 7:4-7.2(c), that action to meet this standard is an undertaking that constitutes an encroachment or will damage or destroy the New Jersey Register listed historic property.

6. § 220-153 Sources for technical guidance for stormwater management.

1. Technical guidance for stormwater management measures can be found in the documents listed below, which are available to download from the Department's website at: <https://dep.nj.gov/stormwater/bmp-manual/>.

a. Guidelines for stormwater management measures are contained in the New Jersey Stormwater Best Management Practices Manual, as amended and supplemented. Information is provided on stormwater management measures such as, but not limited to, those listed in Tables 1, 2, and 3.

b. Additional maintenance guidance is available on the Department's website at: <https://dep.nj.gov/stormwater/maintenance-guidance/> or can be obtained from the following:

i. The Standards for Soil Erosion and Sediment Control in New Jersey, promulgated by the State Soil Conservation Committee and incorporated into N.J.A.C. 2:90. Copies of these standards may be obtained by contacting the State Soil Conservation Committee or any of the Soil Conservation Districts listed in N.J.A.C. 2:90-1.3(a)4. The location, address, and telephone number of each Soil Conservation District may be obtained from the State Soil Conservation Committee, P.O. Box 330, Trenton, New Jersey 08625; (609) 292-5540;

ii. The Rutgers Cooperative Extension Service, 732-932-9306; and

iii. The Soil Conservation Districts listed in N.J.A.C. 2:90-1.3(a)4. The location, address, and telephone number of each Soil Conservation District may be obtained from the State Soil Conservation Committee, P.O. Box 330, Trenton, New Jersey 08625; (609) 292-5540

2. Submissions required for review by the Department should be mailed to:

7. § 220-154 Safety standards for
stormwater management basins.

- A. This section sets forth requirements to protect public safety through the proper design and operation of stormwater management basins. This section applies to any new stormwater management basin. The provisions of this section are not intended to preempt more stringent municipal or county safety requirements for new or existing stormwater management BMPs. Marlboro Township and Monmouth County stormwater management plans and ordinances may, pursuant to their authority, require existing stormwater management BMPs to be retrofitted to meet one or more of the safety standards in § 220-154B(1), (2) and (3) for trash racks, overflow grates, and escape provisions at outlet structures.
- B. Requirements for trash racks, overflow grates and escape provisions.
- (1) A trash rack is a device designed to catch trash and debris and prevent the clogging of outlet structures. Trash racks shall be installed at the intake to the outlet from the stormwater management BMPs to ensure proper functioning of the basin outlets in accordance with the following:
- (a) The trash rack shall have parallel bars, with no greater than six-inch spacing between the bars.
- (b) The trash rack shall be designed so as not to adversely affect the hydraulic performance of the outlet pipe or structure.
- (c) The average velocity of flow through a clean trash rack is not to exceed 2.5 feet per second under the full range of stage and discharge. Velocity is to be computed on the basis of the net area of opening through the rack.
- (d) The trash rack shall be constructed and installed to be rigid, durable, and corrosion resistant, and shall be designed to withstand a perpendicular live loading of 300 pounds per square foot.
- (2) An overflow grate is designed to prevent obstruction of the overflow structure. If an outlet structure has an overflow grate, such grate shall meet the following requirements:
- (a) The overflow grate shall be secured to the outlet structure but removable for emergencies and maintenance.

(b) The overflow grate spacing shall be no greater than two inches across the smallest dimension.

(c) The overflow grate shall be constructed and installed to be rigid, durable, and corrosion resistant, and shall be designed to withstand a perpendicular live loading of 300 pounds per square foot.

(3) Stormwater management BMPs shall include escape provisions as follows:

(a) If a stormwater management BMP has an outlet structure, escape provisions shall be incorporated in or on the structure. Escape provisions include the installation of permanent ladders, steps, rungs, or other features that provide easily accessible means of egress from stormwater management BMPs. With the prior approval of the municipality pursuant to Subsection B, a free-standing outlet structure may be exempted from this requirement;


(b) Safety ledges shall be constructed on the slopes of all new stormwater management BMPs having a permanent pool of water deeper than two and one-half feet. Safety ledges shall be comprised of two steps. Each step shall be four to six feet in width. One step shall be located approximately two and one-half feet below the permanent water surface, and the second step shall be located one to one and one-half feet above the permanent water surface. See Subsection D for an illustration of safety ledges in a stormwater management BMP; and

(c) In new stormwater management BMPs, the maximum interior slope for an earthen dam, embankment, or berm shall not be steeper than three horizontal to one vertical.

C. Variance or exemption from safety standards. A variance or exemption from the safety standards for stormwater management basins may be granted only upon a written finding by the appropriate reviewing agency, the Township of Marlboro, the County of Monmouth or the Department that the variance or exemption will not constitute a threat to public safety.

D. Illustration of safety ledges in a new stormwater management basin.

Elevation view -Basin Safety Ledge Configuration



8.

9. § 220-155 Site development stormwater plan.

Submission of site development stormwater plan.

Whenever an applicant seeks municipal approval of a development subject to

§§ 220-147 through 220-158, the applicant shall submit all of the required components of the checklist for the site development stormwater plan at Subsection C below as part of the submission of the applicant's application for subdivision or site plan approval.

The applicant shall demonstrate that the project meets the standards set forth in §§ 220-147 through 220-158.

The applicant shall submit 15 copies of the materials listed in the checklist for site development stormwater plans in accordance with Subsection C.

Site development stormwater plan approval. The applicant's site development project shall be reviewed as a part of the subdivision or site plan review process by the municipal board or official from which municipal approval is sought. That municipal board or official shall consult the engineer retained by the Planning and/or Zoning Board (as appropriate) to determine if all of the checklist requirements have been satisfied and to determine if the project meets the standards set forth in §§ 220-147 through 220-158.

Checklist requirements. The following information shall be required:

Topographic base map. The Township Engineer may require upstream tributary drainage system information as necessary. It is recommended that the topographic base map of the site be submitted which extends a minimum of 200 feet beyond the limits of the proposed development, at a scale of one inch equals 200 feet or greater, showing two-foot contour intervals. The map as appropriate may indicate the following: existing surface water drainage, shorelines, steep slopes, soils, erodible soils, perennial or intermittent streams that drain into or upstream of the Category One waters, wetlands and floodplains along with their appropriate buffer strips, marshlands and other wetlands, pervious or vegetative surfaces, existing man-made structures, roads, bearing and distances of property lines, and significant natural and man-made features not otherwise shown.

Environmental site analysis: a written and graphic description of the natural and man-made features of the site and its environs. This description should include a discussion of soil conditions, slopes, wetlands, waterways and vegetation on the site. Particular attention should be given to unique, unusual, or environmentally sensitive features and to those that provide particular opportunities or constraints for development.

Project description and site plan(s): a map (or maps) at the scale of the topographical base map indicating the location of existing and proposed buildings, roads, parking areas, utilities, structural facilities for stormwater management and sediment control, and other permanent structures. The map(s) shall also clearly show areas where alterations occur in the natural terrain and cover, including lawns and other landscaping, and seasonal high groundwater elevations. A written description of the site plan and justification of proposed changes in natural conditions may also be provided.

Land use planning and source control plan. This plan shall provide a demonstration of how the goals and standards of §§ 220-149 through 220-152 are being met. The focus of this plan shall be to describe how the site is being developed to meet the objective of controlling groundwater recharge, stormwater quality and stormwater quantity problems at the source by land management and source controls whenever possible.

Stormwater management facilities map. The following information, illustrated on a map of the same scale as the topographic base map, shall be included:

Total area to be disturbed, paved or built upon, proposed surface contours, land area to be occupied by the

stormwater management facilities and the type of vegetation thereon, and details of the proposed plan to control and dispose of stormwater.

Details of all stormwater management facility designs, during and after construction, including discharge provisions, discharge capacity for each outlet at different levels of detention and emergency spillway provisions with maximum discharge capacity of each spillway.

Calculations.

Comprehensive hydrologic and hydraulic design calculations for the predevelopment and post development conditions for the design storms specified in § 220-150.

When the proposed stormwater management control measures (e.g., infiltration basins) depend on the hydrologic properties of soils, or require certain separation from the seasonal high water table, then a soils report shall be submitted. The soils report shall be based on on-site boring logs or soil pit profiles. The number and location of required soil borings or soil pits shall be determined based on what is needed to determine the suitability and distribution of soils present at the location of the control measure.

Maintenance and repair plan. The design and planning of the stormwater management facility shall meet the maintenance requirements of § 220-156.

Waiver from submission requirements. The Township Engineer or, if applicable, Board Engineer in consultation with the Township Engineer, may waive submission of any of the requirements in Subsection C(1) through (6) when it can be demonstrated that the information requested is impossible to obtain or it would create a hardship on the applicant to obtain and its absence will not materially affect the review process.

10. § 220-156 Maintenance and repair or stormwater management measures.

(1) Applicability. Projects subject to review as in § 220-147C shall comply with the requirements of Subsections B and C.

(2) General maintenance.

a. The design engineer shall prepare a maintenance plan for the stormwater management measures incorporated into the design of a major development.

- b. The maintenance plan shall contain specific preventative maintenance tasks and schedules; cost estimates, including estimated cost of sediment, debris, or trash removal; and the name, address, and telephone number of the person or persons responsible for preventative and corrective maintenance (including replacement). The plan shall contain information on the BMP location, design, ownership, maintenance tasks and frequencies, and other details as specified in Chapter 8 of the NJ BMP Manual, as well as the tasks specific to the type of BMP, as described in the applicable chapter containing design specifics.
- c. If the maintenance plan identifies a person other than the developer (for example, a public agency or homeowners' association) as having the responsibility for maintenance, the plan shall include documentation of such person's agreement to assume this responsibility, or of the developer's obligation to dedicate a stormwater-management facility to such person under an applicable ordinance or regulation.
- d. Responsibility for maintenance shall not be assigned or transferred to the owner or tenant of an individual property in a residential development or project, unless such owner or tenant owns or leases the entire residential development or project. The individual property owner may be assigned incidental tasks, such as weeding of a green infrastructure BMP, provided the individual agrees to assume these tasks; however, the individual cannot be legally responsible for all of the maintenance required.
- e. If the person responsible for maintenance identified under Subsection B(2) above is not a public agency, the maintenance plan and any future revisions based on Subsection B(7) below shall be recorded upon the deed of record for each property on which the maintenance described in the maintenance plan must be undertaken.
- f. Preventative and corrective maintenance shall be performed to maintain the functional parameters (storage volume, infiltration rates, inflow/outflow capacity, etc.) of the stormwater management measure, including, but not limited to, repairs or replacement to the structure; removal of sediment, debris, or trash; restoration of eroded areas; snow and ice removal; fence repair or replacement; restoration of vegetation; and repair or replacement of nonvegetated linings.
- g. The person responsible for maintenance identified under Subsection B(2) above shall perform all of the following requirements:
 - i. Maintain a detailed log of all preventative and corrective

maintenance for the structural stormwater management measures incorporated into the design of the development, including a record of all inspections and copies of all maintenance-related work orders;

- ii. Evaluate the effectiveness of the maintenance plan at least once per year and adjust the plan and the deed as needed; and
- iii. Retain and make available, upon request by any public entity with administrative, health, environmental, or safety authority over the site, the maintenance plan and the documentation required by Subsection B(6) and (7) above.
- h. The requirements of Subsection B(3) and (4) do not apply to stormwater management facilities that are dedicated to and accepted by the municipality or another governmental agency, subject to all applicable municipal stormwater general permit conditions, as issued by the Department.
- i. In the event that the stormwater management facility becomes a danger to public safety or public health, or if it is in need of maintenance or repair, the municipality shall so notify the responsible person in writing. Upon receipt of that notice, the responsible person shall have 14 days to effect maintenance and repair of the facility in a manner that is approved by the municipal engineer or his designee. The municipality, in its discretion, may extend the time allowed for effecting maintenance and repair for good cause. If the responsible person fails or refuses to perform such maintenance and repair, the municipality or county may immediately proceed to do so and shall bill the cost thereof to the responsible person.

(3) Nothing in this section shall preclude the municipality in which the major development is located from requiring the posting of a performance or maintenance guarantee in accordance with N.J.S.A. 40:55D-53.

11. § 220-157 Violations and penalties related to stormwater management.

Any person who erects, constructs, alters, repairs, converts, maintains, or uses any building, structure or land in violation of §§ 220-147 through 220-158 shall be subject to the following penalties. Failure to comply with any provisions of these sections shall be considered a violation of the Coded Ordinances of the Township of Marlboro and shall be punishable by a fine of \$1,000 or 90 days in jail, or both. Each day of such violation's continuance shall be considered as a separate offense and shall be separately

punishable. These penalties shall not be the exclusive remedy available, and nothing in §§ 220-147 through 220-158 shall prevent an applicant from obtaining injunctive relief.

12. § 220-158 Mitigation plan for stormwater management.

13.A. Standards

- a. For the purposes of this section, "mitigation" shall incorporate the definition set forth in § 220-148 and shall include situations where the applicant has demonstrated the inability or impracticality of strict compliance with the stormwater management requirements set forth in N.J.A.C 7:8 in addition to the requirements set forth in §§ 220-147 through 220-158.
- b. The Township of Marlboro having jurisdiction over an application requiring a stormwater management plan shall have the jurisdiction to grant a waiver from strict compliance with the performance requirements of §§ 220-147 through 220-158 or the stormwater management plan. Pursuant to N.J.A.C. 7:8-4.6(a)1 page 28, the waiver may be granted where an applicant has demonstrated that it is technically impracticable to meet any one or more of the design and performance standards on-site. For the purposes of this analysis, technical impracticability exists only when the design and performance standard cannot be met for engineering, environmental, or safety reasons. The granting of the waiver shall apply to an individual drainage area and design and performance standard and shall not apply to an entire site or project, unless an applicant provides the required analysis for each drainage area within the site and each design and performance standard. The applicant must demonstrate one of the following:
 - i. An inability to apply any of the best management practices and methodologies as defined and approved herein and in the stormwater management plan, due to an extraordinary and exceptional situation uniquely affecting the subject property or structures thereon, resulting in a peculiar and exceptional practical difficulty or undue hardship; or
 - ii. That the purposes of §§ 220-147 through 220-158 and stormwater management plan can be advanced by a deviation from the best management practices and methodologies as defined and approved herein and in the stormwater management plan, where the benefits of such deviation substantially outweigh any detriment.
- c. In requesting a waiver as to any application, the applicant

may submit as reasons for the waiver the site conditions of the proposed project, including soils types; thin soil cover; low permeability soils, and/or shallow depths to groundwater (high groundwater levels), unique conditions which would create an unsafe design, or conditions which would provide a detrimental impact to public health, welfare, or safety.

- d. The waiver cannot be granted due to conditions created by the applicant. If the applicant can comply with the requirements of §§ 220-147 through 220-158 and stormwater management plan through reducing the size of a project, the hardship is self-imposed, and therefore the Board lacks jurisdiction to grant any waiver under this section.
- e. The applicant must propose a suitable mitigation method through the submission of a mitigation plan which will conform to the design and performance standards of §§ 220-147 through 220-158, through green infrastructure stormwater management measures, governing stormwater quality, quantity, and groundwater recharge. Approval of a waiver or exemption from any one of the three stormwater design standard criteria which include groundwater recharge, water quality, and water quantity provides no guarantee that, if requested, an exemption or waiver will be granted for either or both of the remaining criteria.
- f. Supporting evidence for an exemption or waiver shall be prepared in the form of a stormwater management report which will be signed and sealed by a New Jersey licensed professional engineer. The report shall include at a minimum:
 - i. Detailed hydrologic and hydraulic calculations identifying the sizing criteria for each BMP and the stormwater collection system based upon the anticipated peak flow and/or volume.
 - ii. A map of the planned project showing existing conditions with drainage boundaries and land features, including delineated wetlands, proposed improvements, including all BMPs, grading, utilities, impervious features, and landscaping.
 - iii. Construction details for each BMP with appropriate contact information.

(2) Mitigation criteria. The mitigation requirements listed below offer a hierarchy of options that are intended to offset the effect on groundwater recharge, stormwater quantity control, and/or stormwater quality control to an equal or greater extent than was created by the granting of a waiver or exemption from the stormwater management requirements. The mitigation project

shall be approved no later than preliminary or final site plan approval of the major development and shall comply with the green infrastructure standards at N.J.A.C. 7:8-5.3. The mitigation criteria are listed below in order of preference:

- a. Identify, design, and implement a compensating measure to mitigate impacts for a project that is located in the same HUC 14 drainage area as the major development subject to the waiver. In these cases, the applicant will address the same issue within the design and performance standards for which the variance or exemption is being sought, and demonstrate that the proposed mitigating measures provide equal or greater compensation to offset the noncomplying aspect of the stormwater management system on site. The developer must also ensure the long-term maintenance of the project as outlined in Chapters 8 and 9 of the NJDEP Stormwater BMP Manual. If the Township agrees to control a new stormwater management facility, arrangement in the form of an escrow account will be made to stipulate the payment amount, schedule, and long-term responsibilities of the facility to ensure that it functions to capacity.
- b. Complete a project identified by the municipality as equivalent to the environmental impact created by the exemption or variance.
 - i. If these criteria cannot be met on site, the Township has identified the retrofitting of existing basins as the primary mode for mitigation measures to follow. Through clearing sediment, expanding capacity, or bringing the basin into compliance with water quality standards, mitigation opportunities have the potential to significantly improve stormwater management issues that face Marlboro Township.
 - ii. As many of the developments in Marlboro were constructed with curb and gutter drainage, stormwater is often funneled and released directly into an adjoining water body. As these methods are contrary to the stormwater management BMPs outlined in the NJDEP's BMP Manual and endorsed through the adoption of the state's new stormwater regulations, the retrofitting of these basins can dramatically improve the Township's existing stormwater management infrastructure. Mitigation projects can utilize a number of BMPs to offset the stormwater management of a project that is unable to comply with the new design standards. However, these BMPs, which may include sand filters, vegetative filters, or the incorporation of a manufactured treatment device, among other possibilities, will be engineered and applied on a

site-by-site basis. In general, the engineering necessary to determine the mitigative measure that is most suited for a particular basin is the responsibility of the applicant, and must be determined and submitted by the applicant along with the particular project's site plan. Marlboro has identified locations within the Deep Run watershed where BMPs can be utilized to improve stormwater management and reduce flooding. These locations, which have been identified by catchment area, offer developers specific options such as improving culverts, or upgrading infrastructure to use as mitigative alternatives. Applicants that are seeking waivers for development proposals located within the Deep Run watershed are strongly encouraged to reference the 10 Subwatershed Impact Assessment and Implementation Project Summary Tables that are included within the Identification and Evaluation of Impairments Within the Deep Run Watershed Report. Copies of the aforementioned report are available at the Township Clerk's office.

- c. Provide funding for municipal projects that would address existing stormwater impacts. The third and least preferable stormwater mitigation option is for the applicant to provide funding or partial funding for an environmental enhancement project that has been identified in the municipal stormwater management plan, or towards the development of a regional stormwater management plan. The contributed funds must be equal or greater than the cost to implement the required on-site stormwater measure for which relief is requested including the cost of land, easements, engineering design, and long-term maintenance. However, with this option, Marlboro Township, not the applicant, is ultimately responsible for the design, property acquisition, construction, construction management, maintenance (short-term and long-term) and follow-up study, unless that project and its prospective costs have been outlined within this mitigation plan. An applicant may also propose a mitigation project on a site that has not been identified in this mitigation plan. However, in each circumstance the selection of a mitigation project must incorporate the following requirements:
 - i. The project must be within the same area that would contribute to the receptor impacted by that project.
 - ii. Legal authorization must be obtained to construct the project at the location selected. This includes the maintenance and any access needs for the project throughout its operation.

- iii. The mitigation project should be located close to the original development project. If possible, the mitigation project should be located at a similar distance from the identified sensitive receptor. This distance should not be based on actual location, but on a similar hydraulic distance to the sensitive receptor. For example, if a project for which a waiver is obtained discharges to a tributary, but the closest location discharges to the main branch of a waterway, it may be more beneficial to identify a location discharging to the same tributary.
- iv. It is preferable to have one location that addresses any and all of the performance standards waived, rather than one location for each performance standard.
- v. The project location must demonstrate no adverse impacts to other properties.
- vi. Pursuant to N.J.A.C. 7:8-4.6(a)1 page 29, mitigation projects that address green infrastructure standards must use green infrastructure BMPs in Table 1, and/or an alternative stormwater management measure approved in accordance with § 220-150G that meets the definition of green infrastructure to manage an equivalent or greater area of impervious surface and an equivalent or greater area of motor vehicle surface as the area of the major development subject to the waiver. Grass swales and vegetative filter strips may only be used in the mitigation project if the proposed project additionally includes a green infrastructure BMP other than a grass swale or vegetative filter strip. The green infrastructure used in the mitigation project must be sized to manage the water quality design storm, as defined at § 220-150P(4) at a minimum, and is subject to the applicable contributory drainage area limitation specified at § 220-150G or § 220-1500(2) as applicable.
- vii. For projects addressing the groundwater recharge performance standard, a mitigation project site upstream of the location of the actual project site is preferable to a downstream location. Additionally, one of the following must be satisfied:

[1] Pursuant to N.J.A.C. 7:8-4.6(a)1 page 29, the average annual groundwater recharge provided by the mitigation project must equal or exceed the average annual groundwater recharge deficit resulting from granting the waiver for the major development; or

[2] Pursuant to N.J.A.C. 7:8-4.6(a)1 page 29, runoff infiltrated during the two-year storm from the

mitigation project must equal or exceed the deficit resulting from granting the waiver from the required infiltration of the increase in runoff volume from preconstruction to post-construction from the major development.

viii. Mitigation projects that address stormwater runoff quantity must satisfy the following:

1. Pursuant to N.J.A.C. 7:8-4.6(a)1 page 30, the applicant demonstrates, through hydrologic and hydraulic analysis, including the effects of the mitigation project, that the waiver will not result in increased flooding damage below each point of discharge of the major development;
2. Pursuant to N.J.A.C. 7:8-4.6(a)1 page 30, the mitigation project discharges to the same watercourse and is located upstream of the major development subject to the waiver; and
3. Pursuant to N.J.A.C. 7:8-4.6(a)1 page 30, the mitigation project provides peak flow rate attenuation in accordance with N.J.A.C. 7:8-5.6(b)3 for an equivalent or greater area than the area of the major development subject to the waiver. For the purposes of this demonstration, equivalent includes both size of the area and percentage of impervious surface and/or motor vehicle surface.

ix. Mitigation projects that address stormwater runoff quality must satisfy the following:

1. Pursuant to N.J.A.C. 7:8-4.6(a)1 page 29, the total drainage area of motor vehicle surface managed by the mitigation project(s) must equal or exceed the drainage area of the area of the major development subject to the waiver and must provide sufficient TSS removal to equal or exceed the deficit resulting from granting the waiver for the major development; and
2. Pursuant to N.J.A.C. 7:8-4.6(a)1 page 29, the mitigation project must remove nutrients to the maximum extent feasible in accordance with N.J.A.C. 7:8-5.5(f).

(3) Requirements for mitigation projects.

- a. Whether the applicant is proposing the mitigation project, or Marlboro has identified the project within this mitigation

plan, the following requirements for mitigation must be included in the project submission:

- i. Impact from noncompliance. The applicant must provide a table to show the required values, and the values provided in the project, and include an alternatives analysis that demonstrates that on-site compliance was maximized to the greatest extent practicable.
- ii. Narrative and supporting information regarding the need for the waiver. The waiver cannot be granted for a condition that was created by the applicant. If the applicant can provide compliance with the stormwater rules through a reduction in the scope of the project, the applicant has created the condition and a waiver cannot be issued. The applicant must provide a discussion and supporting information of the site conditions that would not allow the construction of a stormwater management facility to provide compliance with these requirements, and/or if the denial of the application would impose an extraordinary hardship on the applicant brought about by circumstances peculiar to the subject property. The site conditions to be considered are soil type, the presence of karst geology, acid soils, a high groundwater table, unique conditions that would create an unsafe design, as well as conditions that may provide a detrimental impact to public health, welfare, and safety.
- iii. Sensitive receptor: identify the sensitive receptor related to the performance standard for which a waiver is sought. Demonstrate that the mitigation site contributes to the same sensitive receptor.
- iv. Design of the mitigation project: provide the design details of the mitigation project. This includes, but is not limited to, drawings, calculations, and other information needed to evaluate the mitigation project.
- v. Responsible party. The mitigation project submission must list the party or parties responsible for the construction or maintenance of the mitigation project. Documentation must be provided to demonstrate that the responsible party is aware of, has authority to perform, and accepts the responsibility for the construction and the maintenance of the mitigation project. Under no circumstances shall the responsible party be an individual single-family homeowner.
- vi. Maintenance. The applicant must include a maintenance plan that addresses the maintenance criteria at N.J.A.C. 7:8-5 as part of a mitigation plan. In addition, if the

maintenance responsibility is being transferred to Marlboro Township, or another entity, the entity responsible for the cost of the maintenance must be identified. Marlboro provides applicants with the option of conveying the mitigation project to the Township, provided that the applicant funds the cost of maintenance of the facility in perpetuity.

- vii. Permits. The applicant is solely responsible to obtain any and all necessary local, state, or other applicable permits for the identified mitigation project or measure. The applicable permits must be obtained prior to the municipal approval of the project for which the mitigation is being sought.
 - viii. Construction. The applicant must demonstrate that the construction of the mitigation project will be completed prior to, or concurrently with, the major development project. A certificate of occupancy or final approval by the municipality for the application permit cannot be issued until the mitigation project or measure receives final approval. Any mitigation projects proposed by the municipality to offset the stormwater impacts of the Township's own projects must be completed within six months of the completion of the municipal project, in order to remain in compliance with Marlboro's NJPDES general permit.
- b. In all instances the Township of Marlboro having jurisdiction over the application shall have the power to impose additional conditions as may be appropriate under the circumstances of the application. The Township of Marlboro shall make specific findings of fact and conclusions consistent with § 220-147 showing the inability or impracticality of strict compliance with §§ 220-147 through 220-158 and the stormwater management plan and justifying the approval of the applicant's mitigation plan, in order to satisfy the reporting requirements of the municipality's NJPDES permit and other applicable state law requiring the submission of reports to any state or county review agency. The Township of Marlboro shall also have the power to require mitigation as to applications which have received waivers from the New Jersey Department of Environmental Protection.

The following Ordinance #2024-018 (Amending Ordinance #2020-016 of Marlboro Township Appropriating a \$547,647.05 Grant to be Received by the Township for Preliminary Engineering Activities Relating to the Route 79 Sidewalk Extension Project) was introduced by reference, offered by Councilwoman Viridi, seconded by Council Vice President Milman and passed on a roll call vote of 5 - 0 in favor.

ORDINANCE #2024-018

AN ORDINANCE OF THE TOWNSHIP OF MARLBORO, IN THE COUNTY OF MONMOUTH, NEW JERSEY, AMENDING ORDINANCE NO. 2020-016 OF THE TOWNSHIP, FINALLY ADOPTED DECEMBER 17, 2020, APPROPRIATING A \$547,647.05 GRANT TO BE RECEIVED BY THE TOWNSHIP FOR PRELIMINARY ENGINEERING ACTIVITIES RELATING TO THE ROUTE 79 SIDEWALK EXTENSION PROJECT IN AND FOR THE TOWNSHIP OF MARLBORO, IN THE COUNTY OF MONMOUTH, NEW JERSEY

BE IT ORDAINED, BY THE TOWNSHIP COUNCIL OF THE TOWNSHIP OF MARLBORO, IN THE COUNTY OF MONMOUTH, NEW JERSEY (not less than two-thirds of all members thereof affirmatively concurring), AS FOLLOWS:

Ordinance No. 2020-016 of the Township of Marlboro, in the County of Monmouth, New Jersey, finally adopted on December 17, 2020 (the "Prior Ordinance"), is hereby amended in full to read as follows:

Section 1. The improvement or purpose described in Section 2 of this ordinance is hereby authorized to be undertaken by the Township of Marlboro, in the County of Monmouth, New Jersey (the "Township"), as a general improvement. For the improvement or purpose described in Section 2 hereof, there is hereby appropriated the sum of \$547,647.05 (representing an increase of \$54,737.00 from the Prior Ordinance).

Section 2. The \$547,647.05 grant expected to be received by the Township from the Federal Highway Administration is hereby appropriated for the purpose of providing funds for preliminary engineering activities relating to the Route 79 Sidewalk Extension project, including all work and materials necessary therefor and incidental thereto.

Section 3. This ordinance shall take effect in accordance with law.

As the Consent Agenda, the following resolutions were introduced by reference, offered by Councilwoman Viridi, seconded by Councilman Scalea and passed on a roll call vote of 5 - 0 in favor

RESOLUTION #2024-125

A RESOLUTION AUTHORIZING THE AWARD OF CONTRACT FOR THE PROVISION OF ON-SITE BRUSH GRINDING SERVICES FOR THE TOWNSHIP OF MARLBORO

WHEREAS, the Township of Marlboro accepted bids for the PROVISION OF ON-SITE BRUSH GRINDING SERVICES (Bid 2024-09), and on May 1, 2024, received two (2) proposals as follows:

	Mazza Mulch Inc. 3230A Shafto Rd Tinton Falls, NJ 07753	Britton Industries Inc. 227 Bakers Basin Rd Lawrenceville, NJ 08648
Item Description	Bid Price	Bid Price
Unit Price Per Cubic Yard With Removal	\$3.95	\$6.83*
Unit Price Per Cubic Yard No Removal	\$3.50	\$4.83*
Estimated Cubic Yards of Material	30,000	30,000
Annual Bid Amount With Removal	\$118,500.00	\$204,900.00
Annual Bid Amount No Removal	\$105,000.00	\$145,000.00
Weekly Rate for Grinding and Disposal of material	\$42,000.00	\$60,000.00
Weekly Rate for Grinding Only	\$38,000.00	\$45,000.00
Daily Rate for Grinding and Disposal of material	\$8,400.00	\$12,000.00
Daily Rate for Grinding Only	\$7,000.00	\$9,000.00
* calculated rated based on total provided for 30,000 cubic yards		

; and

WHEREAS, in a memo dated May 1, 2024, the Director of Public Works has reported that Mazza Mulch Inc., whose address is 3230A Shafto Road, Tinton Falls, New Jersey 07753, is responsive and has recommended that a contract be awarded for the PROVISION OF ON-SITE BRUSH GRINDING SERVICES; and

WHEREAS, the Mayor and Township Council have indicated their desire to accept the recommendation of the Director of Public Works as set forth herein.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro, that a contract be awarded to Mazza Mulch Inc., whose address is 3230A Shafto Road, Tinton Falls, New Jersey 07753 in an amount not to exceed \$118,500.00 for the PROVISION OF ON-SITE BRUSH GRINDING SERVICES, for a term of one year ending on June 30, 2025, with an option to renew for one two-year or two one-year extension as specified in the bid specifications, at the sole discretion of the Township.

BE IT FURTHER RESOLVED, that the Mayor is hereby authorized to execute, and the Municipal Clerk to witness, a contract with Mazza Mulch Inc., whose address is 3230A Shafto Road, Tinton Falls, New

Jersey 07753 in accordance with this resolution, the bid specifications, and in a form to be approved by the Township Attorney.

BE IT FURTHER RESOLVED, that the Chief Financial Officer has certified funds in the amount of \$59,250.00 for the aforesaid contract in Current Fund Account 01-201-26-117-288103.

BE IT FURTHER RESOLVED, that funds for the remaining portion of the contract, subject to available budget appropriations, will be certified at the time of order.

BE IT FURTHER RESOLVED, that a certified copy of this Resolution shall be provided to each of the following:

- a. Mazza Mulch Inc.
- b. Business Administrator
- c. Director of Public Works
- d. Chief Financial Officer

RESOLUTION #2024-126

AUTHORIZING A CONTRACT WITH FRAYTAK VEISZ HOPKINS DUTHIE, P.C.
FOR PROFESSIONAL ARCHITECTURAL SERVICES FOR ROOFING PROJECTS
FOR THE MARLBORO DEPARTMENT OF PUBLIC WORKS

WHEREAS, by way of Resolution #2024-025, the Township of Marlboro created a pool of qualified professionals to perform professional architectural services for the Township as the need arose, using a fair and open process pursuant to the provisions of P.L. 2004, c.19 (N.J.S.A. 19:44A-20.5 et seq.); and

WHEREAS, the Township of Marlboro authorized the replacement of the courtroom and police station roof in its 2024 capital program, further identified as 2024-122-103 (Project #24-00028) Building Improvements to Public Properties ("Project"); and

WHEREAS, the Township is in need of professional architectural services, consisting of design, bid and construction phase services in connection with the Project ("Professional Services"); and

WHEREAS, the Township solicited proposals from pre-qualified firms for the required professional services summarized; and

WHEREAS, the Director of Public Works, having reviewed the responses received, has recommended in a memo dated April 30, 2024 the award of contract to FRAYTAK VEISZ HOPKINS DUTHIE, P.C., having submitted the lowest cost proposal; and

WHEREAS, the value of the Professional Services Contract will exceed \$17,500.00 in the aggregate; and

WHEREAS, the Chief Financial Officer has certified that funds in the amount of \$50,600.00 are available in General Capital Account 04-215-24-08K-122288 for this purpose; and

WHEREAS, the Township Council has deemed it necessary and in the best interest of the Township of Marlboro to enter into a contract with FRAYTAK VEISZ HOPKINS DUTHIE, P.C. to provide the required additional Professional Services for the Project in accordance with its response to the Request for Qualifications dated November 6, 2023 and Proposal dated April 12, 2024; and

WHEREAS, the services to be provided are considered to be "Professional Services" pursuant to the Local Public Contracts Law, N.J.S.A. 40A:11-1, et seq.; and

WHEREAS, the Local Public Contracts Law authorizes the awarding of a contract for "Professional Services" without public advertising for bids and bidding therefore, provided that the Resolution authorizing the contract and the contract itself be available for public inspection in the office of the Municipal Clerk and that notice of the awarding of the contract be published in a newspaper of general circulation in the municipality.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro that a Professional Services Contract between FRAYTAK VEISZ HOPKINS DUTHIE, P.C., whose address is, 1515 Lower Ferry Road, PO Box 7371, Trenton, NJ 08628, and the Township of Marlboro for professional architectural services in connection with the Project at a fee not to exceed \$50,600.00 for such Professional Services, as further described and set forth in the Request for Qualifications dated November 6, 2023 and Proposal dated April 12, 2024, be and is hereby authorized.

BE IT FURTHER RESOLVED, that the Mayor is hereby authorized to execute, and the Municipal Clerk to witness, in a form legally acceptable to the Township Attorney, the Professional Services Contract described herein.

BE IT FURTHER RESOLVED, that this Professional Services Contract is awarded without competitive bidding pursuant to N.J.S.A. 40A:11-5(1)(a)(i) and shall provide for compensation in an amount not to exceed \$50,600.00 for such additional Professional Services for the Project as described in the Proposals.

BE IT FURTHER RESOLVED, that a copy of the Professional Services Contract and this Resolution shall be available for public inspection in the office of the Municipal Clerk.

BE IT FURTHER RESOLVED, notice of award of the Professional Services Contract shall be published pursuant to law, and a certified copy of this Resolution shall be provided to each of the following:

- a. FRAYTAK VEISZ HOPKINS DUTHIE, P.C.
- b. Township Business Administrator
- c. Chief Financial Officer
- d. Director of Public Works

RESOLUTION #2024-127

A RESOLUTION AUTHORIZING AN AMENDMENT TO A PROFESSIONAL SERVICES CONTRACT BETWEEN CME ASSOCIATES AND THE TOWNSHIP OF MARLBORO FOR PROFESSIONAL ENGINEERING SERVICES IN CONNECTION WITH RECREATION FACILITY IMPROVEMENTS AT MARLBORO MIDDLE SCHOOL

WHEREAS, the Township of Marlboro authorized outdoor recreation facility improvements at Marlboro Middle School under its 2024 capital program ("Project"), as follows:

145-102 MARLBORO MIDDLE HIGH SCHOOL TURF BALLFIELD (P-24-00007)

WHEREAS, the Township is in need of professional engineering services, consisting of design, permitting, bid and construction phase services in connection with the Project described herein ("Professional Services"); and

WHEREAS, in response to a request for proposals issued by the Township, CME Associates has submitted a proposal dated March 18, 2024 (the "Proposal") offering the lowest price for the required professional services; and

WHEREAS, the Township of Marlboro and CME Associates have previously entered into a Professional Services Contract, awarded under a fair and open process, and seeks to amend such Contract to expand the scope of services to include the Professional Services for the Projects by way of its Township Engineers at a fee not to exceed \$110,000.00 for such Professional Services, as further described and set forth in CME's Proposals, attached hereto and made a part hereof; and

WHEREAS, the value of the Professional Services Contract will exceed \$17,500.00 in the aggregate; and

WHEREAS, the Chief Financial Officer has certified that funds in the amount of \$110,000.00 are available in Capital Account 04-215-24-10B-145288 for this purpose; and

WHEREAS, the Township Council has deemed it necessary and in the best interest of the Township of Marlboro to amend its contract with CME Associates to provide the required additional Professional Services in accordance with the Proposal; and

WHEREAS, the services to be provided are considered to be "Professional Services" pursuant to the Local Public Contracts Law, N.J.S.A. 40A:11-1, et seq.; and

WHEREAS, the Local Public Contracts Law authorizes the awarding of a contract for "Professional Services" without public advertising for bids and bidding therefore, provided that the Resolution authorizing the contract and the contract itself be available for public inspection in the office of the Municipal Clerk and that notice of the awarding of the contract be published in a newspaper of general circulation in the municipality.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro that an amendment to the Professional Services Contract between CME Associates and the Township of Marlboro, to expand the scope of services to include professional engineering services in connection with various capital improvements by way of its Township Engineers, at a fee not to exceed \$110,000.00 for such Professional Services, as further described and set forth in CME's Proposals, be and is hereby authorized.

BE IT FURTHER RESOLVED, that the Mayor is hereby authorized to execute, and the Municipal Clerk to witness, in a form legally acceptable to the Township Attorney, the Professional Services Contract described herein.

BE IT FURTHER RESOLVED, that this Professional Services Contract is awarded without competitive bidding pursuant to N.J.S.A. 40A:11-5(1)(a)(i) and shall provide for compensation in an amount not to exceed \$110,000.00 for such additional Professional Services for the Project as described in the Proposal.

BE IT FURTHER RESOLVED, that a copy of the Professional Services Contract and this Resolution shall be available for public inspection in the office of the Municipal Clerk.

BE IT FURTHER RESOLVED, notice of award of the Professional Services Contract shall be published pursuant to law, and a certified copy of this Resolution shall be provided to each of the following:

- a. CME Associates
- b. Township Business Administrator
- c. Township Chief Financial Officer
- d. Superintendent of Public Works
- e. Division of Engineering

RESOLUTION #2024-128

A RESOLUTION AUTHORIZING AN AMENDMENT TO A PROFESSIONAL SERVICES CONTRACT BETWEEN COLLIERS ENGINEERING & DESIGN AND THE TOWNSHIP OF MARLBORO FOR PROFESSIONAL ENGINEERING SERVICES IN CONNECTION WITH RECREATION FACILITY IMPROVEMENTS AT MARLBORO HIGH SCHOOL

WHEREAS, the Township of Marlboro authorized outdoor recreation facility improvements at the Marlboro High School under its 2024 capital program ("Project"), as follows:

145-101 MARLBORO HIGH SCHOOL TURF FIELD FACILITY (P-24-00002)

; and

WHEREAS, the Township is in need of professional engineering services, consisting of design, permitting, bid and construction phase services in connection with the Projects ("Professional Services"); and

WHEREAS, Colliers Engineering & Design has provided a proposal dated March 11, 2024 (updated March 24, 2024) (the "Proposal") for the required professional services; and

WHEREAS, the Township of Marlboro and Colliers Engineering & Design have previously entered into a Professional Services Contract, awarded under a fair and open process, and seeks to amend such Contract to expand the scope of services to include the Professional Services for the Project by way of its Alternate Township Engineer at a fee not to exceed \$232,750.00 for such Professional Services, as further described and set forth in the Township's Request for Proposal and Collier's Proposal, attached hereto and made a part hereof; and

WHEREAS, the value of the Professional Services Contract will exceed \$17,500.00 in the aggregate; and

WHEREAS, the Chief Financial Officer has certified that funds in the amount of \$232,750.00 are available in Capital Account 04-215-24-10A-145288 for this purpose; and

WHEREAS, the Township Council has deemed it necessary and in the best interest of the Township of Marlboro to amend its contract with Colliers Engineering & Design to provide the required additional Professional Services for the Project in accordance with the Proposal; and

WHEREAS, the services to be provided are considered to be "Professional Services" pursuant to the Local Public Contracts Law, N.J.S.A. 40A:11-1, et seq.; and

WHEREAS, the Local Public Contracts Law authorizes the awarding of a contract for "Professional Services" without public advertising for bids and bidding therefore, provided that the Resolution authorizing the contract and the contract itself be available for public inspection in the office of the Municipal Clerk and that notice of the awarding of the contract be published in a newspaper of general circulation in the municipality.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro that a Professional Services Contract between Colliers Engineering & Design, whose address is 101 Crawfords Corner Road, Suite 3400, Holmdel, NJ 07733 and the Township of Marlboro, to expand the scope of services to include professional engineering services in connection with the Project by way of its Alternate Township Engineer, at a fee not to exceed \$232,750.00 for such Professional Services, as further described and set forth in Collier's Proposals, be and is hereby authorized.

BE IT FURTHER RESOLVED, that the Mayor is hereby authorized to execute, and the Municipal Clerk to witness, in a form legally acceptable to the Township Attorney, the Professional Services Contract described herein.

BE IT FURTHER RESOLVED, that this Professional Services Contract is awarded without competitive bidding pursuant to N.J.S.A. 40A:11-5(1)(a)(i) and shall provide for compensation in an amount not to exceed \$232,750.00 for such additional Professional Services for the Project as described in the Proposals.

BE IT FURTHER RESOLVED, that a copy of the Professional Services Contract and this Resolution shall be available for public inspection in the office of the Municipal Clerk.

BE IT FURTHER RESOLVED, notice of award of the Professional Services Contract shall be published pursuant to law, and a certified copy of this Resolution shall be provided to each of the following:

- a. Colliers Engineering & Design
- b. Township Business Administrator
- c. Township Chief Financial Officer
- d. Superintendent of Public Works
- e. Division of Engineering

RESOLUTION #2024-129

A RESOLUTION AUTHORIZING AN AMENDMENT TO A PROFESSIONAL SERVICES CONTRACT BETWEEN CME ASSOCIATES AND THE TOWNSHIP OF MARLBORO FOR PROFESSIONAL ENGINEERING SERVICES IN CONNECTION WITH ROAD, SIDEWALK, PARK AND WATER SYSTEM IMPROVEMENTS

WHEREAS, the Township of Marlboro authorized various road, sidewalk, park and water system improvements under its 2021 and 2024 capital programs ("Projects"), as follows:

	Capital Project ID	SDL Project ID	Engineer Proposal	Total Project Estimate	Grant Award
Route 79 Bicycle Path Project	24-060-11	23-00290	50,000	357,995	300,000
Safe Routes to Schools – Topanemus	24-060-52	23-00018	75,000	447,179	447,000
Safe Routes to Schools – School Road West and CR 520	24-060-67, 24-060-82	23-00362	85,000	510,600	450,000
Union Hill Road Synthetic Turf Field	24-145-16.1	24-00054	50,000	270,000	
Smith Farm Walking Trail	24-145-55	23-00271	70,000	430,000	172,000
Nolan Road Water Tank	21-500-07	23-00275	69,798	1,800,000	
Robertsville Road NJDOT FY 24	24-060-06	24-00005	75,000	1,122,482	209,528
			474,798	4,938,256	1,578,528

; and

WHEREAS, in 2023 and 2024, Mayor Hornik received notices of grant awards from the State of New Jersey and Monmouth County totaling \$1,578,528 for various critical infrastructure projects as summarized above; and

WHEREAS, the Township is in need of professional engineering services, consisting of design, permitting, bid and construction phase services in connection with the Project described herein ("Professional Services"); and

WHEREAS, CME Associates has provided proposals dated March 18, April 19 and May 1, 2024 (the "Proposals") for the required professional services; and

WHEREAS, the Township of Marlboro and CME Associates have previously entered into a Professional Services Contract, awarded under a fair and open process, and seeks to amend such Contract to expand the scope of services to include the Professional Services for the Projects by way of its Township Engineers at a fee not to exceed \$474,798.00 for such Professional Services, as further described and set forth in CME's Proposals, attached hereto and made a part hereof; and

WHEREAS, the value of the Professional Services Contract will exceed \$17,500.00 in the aggregate; and

WHEREAS, the Chief Financial Officer has certified that funds in the amount of \$474,798.00 are available in General Capital Accounts 04-215-24-12A-060288, 04-215-24-08N-145288, 04-215-24-08F-060288, and 04-215-23-17A-060288, and Water Capital Account 06-215-21-05D-500288 for this purpose; and

WHEREAS, the Township Council has deemed it necessary and in the best interest of the Township of Marlboro to amend its contract with CME Associates to provide the required additional Professional Services in accordance with the Proposals; and

WHEREAS, the services to be provided are considered to be "Professional Services" pursuant to the Local Public Contracts Law, N.J.S.A. 40A:11-1, et seq.; and

WHEREAS, the Local Public Contracts Law authorizes the awarding of a contract for "Professional Services" without public advertising for bids and bidding therefore, provided that the Resolution authorizing the contract and the contract itself be available for public inspection in the office of the Municipal Clerk and that notice of the awarding of the contract be published in a newspaper of general circulation in the municipality.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro that an amendment to the Professional Services Contract between CME Associates and the Township of Marlboro, to expand the scope of services to include professional engineering services in connection with various capital improvements by way of its Township Engineers, at a fee not to exceed \$474,798.00 for such Professional Services, as further described and set forth in CME's Proposals, be and is hereby authorized.

BE IT FURTHER RESOLVED, that the Mayor is hereby authorized to execute, and the Municipal Clerk to witness, in a form legally acceptable to the Township Attorney, the Professional Services Contract described herein.

BE IT FURTHER RESOLVED, that this Professional Services Contract is awarded without competitive bidding pursuant to N.J.S.A. 40A:11-5(1)(a)(i) and shall provide for compensation in an amount not to exceed \$474,798.00 for such additional Professional Services for the Project as described in the Proposal.

BE IT FURTHER RESOLVED, that a copy of the Professional Services Contract and this Resolution shall be available for public inspection in the office of the Municipal Clerk.

BE IT FURTHER RESOLVED, notice of award of the Professional Services Contract shall be published pursuant to law, and a certified copy of this Resolution shall be provided to each of the following:

- a. CME Associates
- b. Township Business Administrator
- c. Township Chief Financial Officer
- d. Superintendent of Public Works
- e. Division of Engineering

RESOLUTION #2024-130

A RESOLUTION AUTHORIZING MODIFICATION #1 TO THE AGREEMENT BETWEEN THE TOWNSHIP OF MARLBORO AND GREENMAN-PEDERSEN, INC. FOR ENGINEERING DESIGN SERVICES IN CONNECTION WITH THE NEW JERSEY TRANSPORTATION ALTERNATIVES PROGRAM (NJTAP) FISCAL YEAR 2018 GRANT FOR THE ROUTE 79 SIDEWALK EXTENSION PROJECT

WHEREAS, the Township was awarded a Fiscal Year 2018 Federal Highway Aid grant of \$875,000.00 for the Route 79 Sidewalk Extension Project through the New Jersey Transportation Alternatives Program (NJTAP) ("Project" P-15-00075); and

WHEREAS, the Township was awarded design assistance funding of \$492,910.05, and entered into an agreement, with GREENMAN-PEDERSEN, INC. (GPI), a vendor pre-qualified and approved for use by the State of New Jersey for the required engineering services in support of the Project; and

WHEREAS, due to the need for additional subsurface exploration in connection with the Project's stormwater management solution, GPI has requested a modification to its agreement dated March 12, 2024 in the amount of \$54,737.00; and

WHEREAS, in a letter dated May 1, 2024, the State of New Jersey indicated that additional funding for the full amount of the modification requested by GPI has been approved and added to the design assistance allocation to the Township, totaling \$547,647.05; and

WHEREAS, the Township of Marlboro and GPI have previously entered into a Professional Services Contract, awarded pursuant to a solicitation of competitive proposals conducted by the State of New Jersey Department of Transportation (NJDOT) in accordance with "the Brooks Act" (40 U.S.C. Chapter 11), and NJDOT's subsequent establishment of a pool of pre-qualified vendors to be utilized by qualifying grant recipients (Resolution #2020-319); and

WHEREAS, the solicitation process conducted by the NJDOT in accordance with the Brooks Act satisfies the requirements of the New Jersey Local Public Contracts Law pertaining to the award of professional services, and constitutes a "Fair and Open" process in accordance with NJSA 19:44A-20.5; and

WHEREAS, the value of the Professional Services Contract will exceed \$17,500.00 in the aggregate; and

WHEREAS, the services to be provided are considered to be "Professional Services" pursuant to the Local Public Contracts Law, N.J.S.A. 40A:11-1, et seq.; and

WHEREAS, the Local Public Contracts Law authorizes the awarding of a contract for "Professional Services" without public advertising for bids and bidding therefore, provided that the Resolution authorizing the contract and the contract itself be available for public inspection in the office of the Municipal Clerk and that notice of the awarding of the contract be published in a newspaper of general circulation in the municipality; and

WHEREAS, the Chief Financial Officer has certified that funds are available for this purpose from Capital Account # 04-215-19-11A-060288; and

WHEREAS, the Township Council has deemed it necessary and in the best interest of the Township of Marlboro to approve MODIFICATION #1 to the agreement with GPI to provide the required additional Professional Services for the Project in accordance with its Proposal dated March 12, 2024; and

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro that MODIFICATION #1 to the Professional Services Contract between the Township of Marlboro and GREENMAN-PEDERSEN, INC., with offices located at 54 Shrewsbury Avenue, Suite A, Red Bank, New Jersey 07701, in an amount not to exceed \$54,737.00 for such Professional Services, as further described and set forth in GPI's MODIFICATION #1 Proposal dated March 12, 2024, be and is hereby authorized; and

BE IT FURTHER RESOLVED, that the Mayor is hereby authorized to execute, and the Municipal Clerk to witness, in a form legally acceptable to the Township Attorney, the amendment to the Professional Services Contract described herein; and

BE IT FURTHER RESOLVED, that this amendment to the Professional Services Contract is awarded without competitive bidding pursuant to N.J.S.A. 40A:11-5(1)(a)(i) and shall provide for additional compensation in an amount not to exceed \$54,737.00 for such Professional Services for the Project as described in the Proposal; and

BE IT FURTHER RESOLVED, that a copy of the Professional Services Contract and this Resolution shall be available for public inspection in the office of the Municipal Clerk; and

BE IT FURTHER RESOLVED, notice of award of the Professional Services Contract shall be published pursuant to law, and a certified copy of this Resolution shall be provided to each of the following:

- a. GREENMAN-PEDERSEN, INC.
- b. New Jersey Department of Transportation (c/o J.Seaman)
- c. Township Business Administrator
- d. Township Director of Community Development
- e. Township Public Works Director
- f. Township Engineer
- g. Township Chief Financial Officer

RESOLUTION #2024-131

RESOLUTION REQUESTING APPROVAL OF ITEMS OF REVENUE
AND APPROPRIATION (N.J.S.A. 40A:4-87)

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the budget; and

WHEREAS, said Director may also approve the insertion of any item of appropriation for equal amount.

NOW, THEREFORE, BE IT RESOLVED, that the Township Council of the Township of Marlboro, in the County of Monmouth, New Jersey, hereby requests the Director of Local Government Services to approve the insertion of an item of revenue in the budget of the year 2024 in the sum of \$12,250.00, which has been received by the municipality for the "2024 Distracted Driving" Grant.

BE IT FURTHER RESOLVED, that the amount of \$12,250.00 be hereby appropriated under the caption "2024 Distracted Driving" Grant.

RESOLUTION #2024-132

RESOLUTION REQUESTING APPROVAL OF ITEMS OF REVENUE
AND APPROPRIATION (N.J.S.A. 40A:4-87)

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the budget; and

WHEREAS, said Director may also approve the insertion of any item of appropriation for equal amount;

NOW, THEREFORE, BE IT RESOLVED, that the Township Council of the Township of Marlboro, in the County of Monmouth, New Jersey, hereby requests the Director of Local Government Services to approve the insertion of an revenue in the budget of the year 2024 in the sum of \$5,107.14, which items are now available as a revenue from the New Jersey Department of Law and Public Safety as the "State Body Armor Replacement Fund Program".

BE IT FURTHER RESOLVED, that the amount of \$5,107.14 be hereby appropriated under the caption "State Body Armor Replacement Fund Program".

RESOLUTION #2024-133

RESOLUTION REQUESTING APPROVAL OF ITEMS OF REVENUE
AND APPROPRIATION (N.J.S.A. 40A:4-87)

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the budget; and

WHEREAS, said Director may also approve the insertion of any item of appropriation for equal amount;

NOW, THEREFORE, BE IT RESOLVED, that the Township Council of the Township of Marlboro, in the County of Monmouth, New Jersey, hereby requests the Director of Local Government Services to approve the insertion of an item of revenue in the budget of the year 2024

in the sum of \$36,054.10, which has been received by the municipality for the "2024 Recycling Tonnage" Grant.

BE IT FURTHER RESOLVED, that the amount of \$36,054.10 be hereby appropriated under the caption "2024 Recycling Tonnage" Grant.

RESOLUTION #2024-134

AUTHORIZING A SHARED SERVICES AGREEMENT BETWEEN THE COUNTY OF
MONMOUTH AND TOWNSHIP OF MARLBORO TO PROVIDE THE ITAX
MAP/COLLABORATION CENTER SYSTEM FOR TAX MAP CONVERSION AND
MAINTENANCE SERVICES

WHEREAS, pursuant to N.J.A.C. 18:23A-1.1, each municipality is responsible for annual updates to its tax maps; and

WHEREAS, the Uniform Shared Services and Consolidation Act, N.J.S.A. 40A:65-1, et seq., (the "Act") permits units of local government to share services for particular purposes and to effectuate agreements for any service or circumstance that will aid and encourage a reduction of local expenses; and

WHEREAS, the County of Monmouth ("County") and the Township of Marlboro ("Township") are public bodies corporate and politic of the State of New Jersey and are authorized under New Jersey Law to enter into a Shared Services Agreement pursuant to the Act; and

WHEREAS, the County Commissioners have awarded a contract for digital tax mapping (Resolution #2021-0552) with such services to be provided by Adams, Rehmann and Heggan Associates, Inc. t/a Civil Solutions; and

WHEREAS, the County has agreed to be the lead agency and supply tax map conversion and maintenance services to the Township under its existing service contract; and

WHEREAS, the intent of the digital tax map shared services program is to reduce municipal costs in complying with the law and provide for the most up-to-date GIS parcel layer and tax map data for professional staff and other public and government stakeholders; and

WHEREAS, it is in the interest of the residents of Marlboro Township to enter into a shared services agreement with Monmouth County for the provision of tax map conversation and maintenance services.

NOW, THEREFORE, IT BE RESOLVED, by the Township Council of the Township of Marlboro that it hereby approves of the execution of

Shared Services Agreement with Monmouth County consistent with the foregoing.

BE IT FURTHER RESOLVED, that the Mayor and Municipal Clerk are hereby authorized to execute a Shared Services Agreement for the provision of these services in a form substantially similar to the attached and approved by the Township Attorney.

RESOLUTION #2024-135

AUTHORIZING MEMORANDUM OF AGREEMENT WITH THE NEW JERSEY OFFICE OF HOMELAND SECURITY AND PREPAREDNESS (NJOHSP) FOR THE IMPLEMENTATION, ADMINISTRATION, MAINTENANCE AND OPERATION OF THE NEW JERSEY CYBERSECURITY AND COMMUNICATIONS INTEGRATION CELL (NJCCIC) ADVANCE ENDPOINT PROTECTION (AEP) SOLUTION

WHEREAS, the State of New Jersey, Office of Homeland Security and Preparedness ("NJOHSP" or "State/Agency") and the Township of Marlboro ("Township") ("the Parties") maintain and operate information technology systems and networks that are used to provide critical and essential government services; and

WHEREAS, the New Jersey Office of Homeland Security and Preparedness (NJOHSP) leads and coordinates New Jersey's counterterrorism, cybersecurity, and emergency preparedness efforts while building resiliency throughout the State.

WHEREAS, the NJOHSP is designated as the State Administrative Agency responsible for the administration of Federal homeland security and preparedness grants, including the State and Local Cybersecurity Grant Program (SLCGP); and

WHEREAS, the New Jersey Cybersecurity and Communications Integration Cell (NJCCIC) is a division within the NJOHSP, and is tasked with the strategic development and execution of the State's cybersecurity programs including the development and implementation of the New Jersey SLCGP Strategic Plan; and

WHEREAS, Executive Order #178 (Christie 2015) establishes the NJCCIC as the central State civilian interface for coordinating cybersecurity information sharing, performing cybersecurity threat analysis, and promoting shared and real-time situational awareness between and among the public and private sectors; and

WHEREAS, pursuant to Executive Order #178, NJCCIC may participate in appropriate federal, multi-state, or private sector programs and efforts that support or complement its cybersecurity mission; and

WHEREAS, the NJCCIC procures and implements multiple cybersecurity products, product licenses, technologies, and services in support of its cybersecurity functions; and

WHEREAS, CrowdStrike, Inc. (CrowdStrike) provides hosted software-as-a-service (SaaS) solutions and accompanying services to assist in providing endpoint security, threat intelligence, and cyberattack response services to customers (collectively referred to as "Services"); and

WHEREAS, the State/Agency and CrowdStrike entered into a Custom Agreement, 19-M0003-CRW01, on April 17, 2019, which permitted CrowdStrike to provide fee-based Software, SaaS, and Technical Support to Authorized Purchasers (each capitalized term is defined in the Custom Agreement) through one of the State/Agency's Resellers pursuant to State Contract T3121 Software Reseller Services, and the State/Agency and CrowdStrike revised the Custom Agreement on February 26, 2020, via an Addendum, which permits CrowdStrike to sell certain Software Related Services (also defined in the Custom Agreement) to the State/Agency; and

WHEREAS, in conformance with the New Jersey SLCGP Strategic Plan, Strategic Goal 3 - Enhancing Resilience, the NJCCIC may provide New Jersey state and local entities with the NJCCIC Advanced Endpoint Protection (AEP) solution which consists of CrowdStrike's Falcon Endpoint Detection and Response (EDR) solution with 24/7 managed detection and response (MDR) and Overwatch services provided by CrowdStrike in conjunction with the NJCCIC.

WHEREAS, State/Agency and the Township wish to enter into this MOA to further set forth the duties and obligations under which State/Agency will provide the NJCCIC AEP solution to the Local Entity and assist the Local Entity with implementation, maintenance, operation, monitoring, detection, and response support pertaining to the NJCCIC AEP solution; and

WHEREAS, it is in the interest of the residents of Marlboro Township to enter into this Memorandum of Agreement with the NJOHSP.

NOW, THEREFORE, BE IT RESOLVED, by the Township Council of the Township of Marlboro, that Mayor Jonathan L. Hornik is hereby authorized to execute, and the Municipal Clerk to witness, a Memorandum of Agreement with the State of New Jersey Office of Information Technology (NJOIT) in a form substantially similar to that included in Exhibit A, in accordance with this resolution, and in a form to be approved by the Township Attorney.

RESOLUTION #2024-136

A RESOLUTION OF THE TOWNSHIP OF MARLBORO IN MONMOUTH COUNTY, NEW JERSEY RENEWING THE SHARED SERVICES AGREEMENT WITH THE MARLBORO BOARD OF EDUCATION TO PROVIDE FOR SCHOOL RESOURCE OFFICERS (SROs) IN MARLBORO TOWNSHIP K-8 SCHOOLS

WHEREAS, there are police officers specifically trained in educating, counseling, and protecting the public in an educational setting within the Township of Marlboro Division of Police known as School Resource Officers (SROs); and

WHEREAS, the Township of Marlboro ("Township") and Marlboro Township Board of Education ("MTBOE") are partners in providing for School Resource Officers (SROs), and acknowledge that these officers have been a constructive and valuable presence in the schools; and

WHEREAS, the Uniform Shared Services and Consolidation Act, N.J.S.A. 40A:65-1, et seq., (the "Act") permits units of local government to share services for particular purposes and to effectuate agreements for any service or circumstance that will aid and encourage a reduction of local expenses; and

WHEREAS, the Township of Marlboro and Marlboro Board of Education are public bodies, corporate and politic of the State of New Jersey and are authorized under New Jersey Law to enter into a Shared Services Agreement pursuant to the Act; and

WHEREAS, on March 16, 2023 (Resolution #2023-097) the Township Council authorized an amendment to the Shared Services Agreement to be executed with the Marlboro Board of Education extending the existing agreement to provide for School Resource Officers (SROs) for the 2023/2024 school year; and

WHEREAS, the Township and the MTBOE wish to extend the agreement to include the 2024/2025 school year; and

WHEREAS, the Township Council of the Township of Marlboro supports the SRO program in the K-8 schools and endorses this partnership between the Township and the MTBOE.

NOW, THEREFORE BE IT RESOLVED, by the Mayor and the Township Council of the Township of Marlboro as follows:

1. The above recitals are hereby incorporated into the body of this Resolution as if set forth at length herein.

2. The Shared Services Agreement shall be open to public inspection in the Municipal Clerk's office and shall take effect upon the adoption of a resolution and execution of the agreement by both parties.

3. The Mayor and Municipal Clerk are hereby authorized to execute the renewal of the Shared Services Agreement with the MTBOE providing for the extension of the School Resource Officer program for the 2023/2024 school year.

4. A copy of the finalized Shared Services agreement shall be filed, for informational purposes, with the Division of Local Government Services in the Department of Community Affairs.

RESOLUTION #2024-137

A RESOLUTION OF THE TOWNSHIP OF MARLBORO IN MONMOUTH COUNTY,
NEW JERSEY RENEWING A SHARED SERVICES AGREEMENT WITH MARLBORO
BOARD OF EDUCATION TO PROVIDE FOR SCHOOL SECURITY
OFFICERS(SSOs) IN MARLBORO TOWNSHIP K-8 SCHOOLS

WHEREAS, the Township of Marlboro ("Township") and Marlboro Township Board of Education ("MTBOE") are committed to providing for the safety of Marlboro's youth while they attend school; and

WHEREAS, a Law was enacted during the 2014-15 session of the New Jersey State Legislature establishing a new class of Special Law Enforcement Officers (Class III) specifically to provide for security in schools under the direction of the local police agency (NJS C.40A:14-146.8 et seq.); and

WHEREAS, the Uniform Shared Services and Consolidation Act, N.J.S.A. 40A:65-1, et seq., (the "Act") permits units of local government to share services for particular purposes and to effectuate agreements for any service or circumstance that will aid and encourage a reduction of local expenses; and

WHEREAS, the Township of Marlboro and Marlboro Township Board of Education are public bodies, corporate and politic of the State of New Jersey and are authorized under New Jersey Law to enter into a Shared Services Agreement pursuant to the Act; and

WHEREAS, on March 16, 2023, the Township and MTBOE (Resolution #2023-098) entered into a shared services agreement to provide for Class III Special Law Enforcement Officers in the Marlboro Township K-8 Schools for the 2023/2024 school year; and

WHEREAS, the Township and the MTBOE wish to reauthorize the agreement to continue the School Security Officer program for the 2024/2025 school year; and

WHEREAS, the Township Council of the Township of Marlboro supports the School Security Officer program in the Marlboro K-8 Schools and endorses this partnership between the Township and the MTBOE.

NOW, THEREFORE BE IT RESOLVED, by the Mayor and the Township Council of the Township of Marlboro as follows:

1. The above recitals are hereby incorporated into the body of this Resolution as if set forth at length herein.
2. The Shared Services Agreement shall be open to public inspection in the Municipal Clerk's office and shall take effect upon the adoption of a resolution and execution of the agreement by both parties.
3. The Mayor and Municipal Clerk are hereby authorized to execute the renewal of the Shared Services Agreement with the MTBOE providing for the extension of the School Security Officer program for the 2024/2025 school year.
4. A copy of the finalized Shared Services agreement shall be filed, for informational purposes, with the Division of Local Government Services in the Department of Community Affairs.

RESOLUTION #2024-138

A RESOLUTION OF THE TOWNSHIP OF MARLBORO IN MONMOUTH COUNTY, NEW JERSEY RENEWING THE SHARED SERVICES AGREEMENT WITH THE FREEHOLD REGIONAL HIGH SCHOOL DISTRICT ("FRHSD") TO PROVIDE FOR SCHOOL RESOURCE OFFICERS (SROs) IN MARLBORO HIGH SCHOOL

WHEREAS, there are police officers specifically trained in educating, counseling, and protecting the public in an educational setting within the Township of Marlboro Division of Police known as School Resource Officers (SROs); and

WHEREAS, the Township of Marlboro ("Township") and Freehold Regional High School District ("FRHSD") are partners in providing for School Resource Officers (SROs), and acknowledge that these officers have been a constructive and valuable presence in the schools; and

WHEREAS, the Uniform Shared Services and Consolidation Act, N.J.S.A. 40A:65-1, et seq., (the "Act") permits units of local

government to share services for particular purposes and to effectuate agreements for any service or circumstance that will aid and encourage a reduction of local expenses; and

WHEREAS, the Township of Marlboro and Freehold Regional High School District are public bodies, corporate and politic of the State of New Jersey and are authorized under New Jersey Law to enter into a Shared Services Agreement pursuant to the Act; and

WHEREAS, on March 16, 2023 (Resolution #2023-099) the Township Council authorized a Shared Services Agreement to be executed with the FRHSD to provide for School Resource Officers (SROs) for the 2023/2024 school year; and

WHEREAS, the Township and the FRHSD wish to extend the agreement to include the 2024/2025 school year; and

WHEREAS, the Township Council of the Township of Marlboro supports the SRO program in Marlboro High School and endorses this partnership between the Township and the FRHSD.

NOW, THEREFORE BE IT RESOLVED, by the Mayor and the Township Council of the Township of Marlboro as follows:

1. The above recitals are hereby incorporated into the body of this Resolution as if set forth at length herein.
2. The Shared Services Agreement shall be open to public inspection in the Municipal Clerk's office and shall take effect upon the adoption of a resolution and execution of the agreement by both parties.
3. The Mayor and Municipal Clerk are hereby authorized to execute the renewal of the Shared Services Agreement with the FRHSD providing for the extension of the School Resource Officer program for the 2024/2025 school year.
4. A copy of the finalized Shared Services agreement shall be filed, for informational purposes, with the Division of Local Government Services in the Department of Community Affairs.

RESOLUTION #2024-139

A RESOLUTION OF THE TOWNSHIP OF MARLBORO IN MONMOUTH COUNTY, NEW JERSEY RENEWING A SHARED SERVICES AGREEMENT WITH FREEHOLD REGIONAL HIGH SCHOOL DISTRICT ("FRHSD") TO PROVIDE FOR SCHOOL SECURITY OFFICERS (SSOs) IN MARLBORO HIGH SCHOOL

WHEREAS, the Township of Marlboro ("Township") and Freehold Regional High School District ("FRHSD") are committed to providing for the safety of Marlboro's youth while they attend school; and

WHEREAS, a Law was enacted during the 2014-15 session of the New Jersey State Legislature establishing a new class of Special Law Enforcement Officers (Class III) specifically to provide for security in schools under the direction of the local police agency (NJS C.40A:14-146.8 et seq.); and

WHEREAS, the Uniform Shared Services and Consolidation Act, N.J.S.A. 40A:65-1, et seq., (the "Act") permits units of local government to share services for particular purposes and to effectuate agreements for any service or circumstance that will aid and encourage a reduction of local expenses; and

WHEREAS, the Township of Marlboro and Freehold Regional High School District are public bodies, corporate and politic of the State of New Jersey and are authorized under New Jersey Law to enter into a Shared Services Agreement pursuant to the Act; and

WHEREAS, on March 16, 2023, the Township and FRHSD (Resolution #2023-100) entered into a shared services agreement to provide for Class III Special Law Enforcement Officers in the Marlboro High School for the 2023/2024 school year; and

WHEREAS, the Township and the FRHSD wish to reauthorize the agreement to continue the School Security Officer program for the 2024/2025 school year; and

WHEREAS, the Township Council of the Township of Marlboro supports the School Security Officer program in the Marlboro High School and endorses this partnership between the Township and the FRHSD.

NOW, THEREFORE BE IT RESOLVED, by the Mayor and the Township Council of the Township of Marlboro as follows:

1. The above recitals are hereby incorporated into the body of this Resolution as if set forth at length herein.
2. The Shared Services Agreement shall be open to public inspection in the Municipal Clerk's office and shall take effect upon the adoption of a resolution and execution of the agreement by both parties.
3. The Mayor and Municipal Clerk are hereby authorized to execute the renewal of the Shared Services Agreement with the FRHSD providing for the extension of the School Security Officer program for the 2024/2025 school year.

4. A copy of the finalized Shared Services agreement shall be filed, for informational purposes, with the Division of Local Government Services in the Department of Community Affairs.

RESOLUTION #2024-140

RESOLUTION AUTHORIZING ACCEPTANCE OF DONATION FOR THE
MARLBORO TOWNSHIP POLICE K-9 THERAPY UNIT

WHEREAS, therapy K9s are used to assist first responders and staff within a Police agency to cope with exposure to traumatic events and support efforts aimed at increasing resilience to improve mental health and wellness; and

WHEREAS, therapy K9s can support community partners whose mission it is to provide services to those affected by trauma, mental health, and crime; and

WHEREAS, the Marlboro Division of Police established a new Therapy K9 Program in 2024; and

WHEREAS, the Division has received an offer from one of its members to donate a certified therapy K9; and

WHEREAS, in a memo dated, May 1st, 2024, the Chief of Police has recommended that the Township accept the donation of K9 "Jade", a certified therapy K9, from James Caulfield, 19 Ramon Blvd, Freehold, NJ 07728; and

NOW, THEREFORE, BE IT RESOLVED, by the Township Council of the Township of Marlboro that the donation of K9 "Jade" as described herein is hereby accepted.

BE IT FURTHER RESOLVED, that a certified copy of this Resolution shall be provided to each of the following:

- a. Township Business Administrator
- b. Chief Financial Officer
- c. Chief of Police

RESOLUTION #2024-141

AUTHORIZING "ALTERNATE ROUTE" PURSUANT TO
N.J.S.A.11A:4-1.3 AS AN ADDITIONAL HIRING PRACTICE FOR
ENTRY-LEVEL LAW ENFORCEMENT OFFICERS OF THE MARLBORO
TOWNSHIP DIVISION OF POLICE

WHEREAS, the Township of Marlboro, Monmouth County, State of Jersey (hereinafter referred to as the "Township") is a jurisdiction governed by Title 11A and the Civil Service regulations and rules established under Title 4A of the Administrative Code; and

WHEREAS, under N.J.S.A.11A:4-1.3 ("Alternate Route"), the Civil Service Commission shall exempt from the requirement to take an examination for an entry-level law enforcement officer position a person who successfully completes a full Basic Course for Police Officers training course at a school approved and authorized by the New Jersey Police Training commission within nine months from the date of hire as a temporary entry-level officer; and

WHEREAS, any person employed under the provisions of N.J.S.A. 11A:4-1.3 shall be entitled to a leave of absence with pay during the period of the training course; and

WHEREAS, the Township has duly established written policies governing nepotism and conflicts of interest as required under P.L.2021, Chapter 7; and

WHEREAS, in order to effectuate this policy, a municipality must affirmatively "opt in" by adopting a Resolution authorizing such a hiring policy; and

WHEREAS, the Township previously approved Resolution #2021-404 authorizing use of this hiring practice in 2021; and

WHEREAS, Chief of Police, Peter Pezzullo, has recommended that the Township reauthorize use of this policy and "opt in" to this program in the interests of efficiency, expediency, and the promotion of public safety within the Township; and

WHEREAS, this "opt in" provision shall remain valid through December 31, 2024.

NOW, THEREFORE, BE IT RESOLVED, by the Mayor and Township Council of the Township of Marlboro for the reasons set forth above that the Township hereby authorizes such hiring policies related to the examination exemption as set forth in N.J.S.A.11A:4-1.3.

BE IT FURTHER RESOLVED, that copy of this resolution shall be transmitted to the New Jersey Civil Service Commission.

RESOLUTION 2024-142

A RESOLUTION OF THE TOWNSHIP OF MARLBORO IN MONMOUTH COUNTY, NEW JERSEY AUTHORIZING A SHARED SERVICES AGREEMENT FOR THE WESTERN MONMOUTH ACTIVE SHOOTER TRAINING GROUP

WHEREAS, there have been numerous well-publicized incidences of acts of violence involving active shooters in public spaces including schools; and

WHEREAS, an active shooter scenario in Marlboro would likely result in a response from a number of different neighboring law enforcement agencies; and

WHEREAS, the Township of Marlboro and the K-8 and Freehold Regional School Districts have entered into agreements to ensure that armed and trained school security officers under the command of the Marlboro Division of Police are stationed in Marlboro schools; and

WHEREAS, it is to the benefit of Marlboro and other neighboring Monmouth municipalities to continue to coordinate training together on response and entry tactics, site command and organizational strategy; and

WHEREAS, Freehold Township ("Freehold") has agreed to serve as lead agency in a cooperative effort with Marlboro, Manalapan, Freehold Borough, Howell, Colts Neck, Englishtown, Allentown Borough and the Monmouth County Sheriff's Office to ensure the highest level of coordination by facilitating interdepartmental training on a regular basis for the joint response to active shooter and joint law enforcement emergencies ("Western Monmouth Active Shooter Training Group"); and

WHEREAS, Freehold has proposed an annual budget of \$8,000.00 to cover the costs of certain protective gear, simunitions, planning and execution materials and other incidental costs; and

WHEREAS, Freehold has proposed that the costs be shared on a proportional basis based upon the number of sworn officers in each department; and

WHEREAS, Marlboro's calculated share of the costs of participation in the consortium is \$1,000.00; and

WHEREAS, funds in the amount of \$1,000.00 have been certified by the Chief Financial Officer and are available in Account # 01-201-25-106-285; and

WHEREAS, the Township Council of the Township Marlboro desires to ensure that the highest level of trained and coordinated resources be available to respond to an event in Marlboro, and supports participation in the Western Monmouth Active Shooter Training Group to further that objective.

NOW, THEREFORE BE IT RESOLVED, by the Mayor and Council of the Township of Marlboro as follows:

1. The above recitals are hereby incorporated into the body of this Resolution as if set forth at length herein.
2. The Shared Services Agreement shall be open to public inspection in the Municipal Clerk's office and shall take effect upon the adoption of a resolution and execution of the agreement by both parties.
3. The Mayor and Municipal Clerk are hereby authorized to execute a Shared Services Agreement in a form substantially similar to the document annexed hereto as EXHIBIT A, subject to review and approval by the Township Attorney.
4. A copy of the finalized Shared Services agreement shall be filed, for informational purposes, with the Division of Local Government Services in the Department of Community Affairs.

RESOLUTION #2024-143

RESOLUTION AUTHORIZING AWARD OF (ESCNJ) CONTRACT #20/21-06 TO MARTURANO RECREATION CO. AND STATE CONTRACT #16-FLEET-00131 TO RUBBERECYCLE, LLC FOR THE PURCHASE AND INSTALLATION OF REPLACEMENT PLAYGROUND EQUIPMENT AND SURFACING AT RECREATION WAY PARK

WHEREAS, the Township of Marlboro as part of its 2024 capital program authorized the replacement of playground equipment and resurfacing material at Recreation Way Park (Cap Project ID 145-10)(Project ID 24-00050); and

WHEREAS, the Township is authorized to purchase goods and services from bids obtained from a cooperative pricing system such as the Educational Services Commission of NJ (ESCNJ) pursuant to the authority provided by N.J.S.A. 40A:11-11(6); and

WHEREAS, MARTURANO RECREATION CO. was awarded ESCNJ Cooperative Contract #20/21-06 for Playground Equipment, Site Furnishings, Outdoor Circuit Training Equipment and Related Products in an amount not to exceed \$167,688.61 per the quotation dated April 1, 2024; and

WHEREAS, pursuant to N.J.S.A. 40A:11-12, a municipality may, without advertising for bids, purchase goods under any contract for such goods entered into on behalf of the State by the Division of Purchase and Property in the Department of Treasury; and

WHEREAS, RUBBERECYCLE, LLC was awarded the State Contract #16-FLEET-00131 for Playground Surfacing Materials, Installation and Inspections in an amount not to exceed \$24,466.63 per the quotation dated April 1, 2024; and

WHEREAS, MARTURANO RECREATION CO. and RUBBERECYCLE, LLC have agreed to extend ESCNJ Cooperative and State Contract pricing, respectively, to the Township of Marlboro; and

WHEREAS, the Recreation Department has recommended that the Township purchase replacement playground equipment from MARTURANO RECREATION CO., P.O. Box 106, Spring Lake, NJ 07762 under #ESCNJ 20/21-06, and RUBBERECYCLE, LLC, 1985 Rutgers University Boulevard, Lakewood, NJ 08701 under State Contract #16-FLEET-00131 for a combined amount not to exceed \$192,155.24; and

WHEREAS, it is in the interest of the citizens of the Township of Marlboro to obtain said playground equipment and surface material from MARTURANO RECREATION CO. and RUBBERECYCLE, LLC; and

WHEREAS, the Township Council desires to approve the purchase and installation of replacement playground equipment.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, the Chief Financial Officer has certified that sufficient funds are available in Capital Account 04-215-24-08N-145288 for the project.

BE IT FURTHER RESOLVED, by the Township Council of the Township of Marlboro that authorization is hereby granted to purchase replacement playground equipment from MARTURANO RECREATION CO., P.O. Box 106, Spring Lake, NJ 07762 under #ESCNJ 20/21-06 in an amount not to exceed \$167,688.61.

BE IT FURTHER RESOLVED, by the Township Council of the Township of Marlboro that authorization is hereby granted to purchase replacement playground equipment from RUBBERECYCLE, LLC, 1985 Rutgers University Boulevard, Lakewood, NJ 08701 under State Contract #16-FLEET-00131 in an amount not to exceed \$24,466.63.

BE IT FURTHER RESOLVED, that a certified copy of this Resolution shall be provided to each of the following:

- a. MARTURANO RECREATION CO.
- b. RUBBERECYCLE, LLC
- c. Township Administration
- d. Township Recreation Director
- e. Township Chief Financial Officer

RESOLUTION #2024-144

A RESOLUTION AUTHORIZING YEAR 2 OF CONTRACT FOR THE
PROVISION OF YOUTH SPORTS PROGRAM SERVICES FOR THE TOWNSHIP
OF MARLBORO RECREATION DEPARTMENT

WHEREAS, the Marlboro Township Recreation Department offers various youth sport programs to residents of Marlboro for the Spring, Summer, Fall and Winter seasons ("Youth Sports Program"); and

WHEREAS, the cost of providing Youth Sports Programing is fully offset by participant registration fees; and

WHEREAS, on April 20, 2023 (Resolution #2023-118) and May 18, 2023 (Resolution #2023-135) the Township Council of the Township of Marlboro awarded contracts for the PROVISION OF YOUTH SPORTS PROGRAM SERVICES FOR THE TOWNSHIP OF MARLBORO RECREATION DEPARTMENT (RFP Youth Sports 2 & RFP Youth Sports 3); and

WHEREAS, the request for proposal specifications included the option to renew said contracts for an additional one two-year, or two one-year extensions on the same terms and conditions at the exclusive option of the Township; and

WHEREAS, in a memo dated April 23, 2024, the Director of Recreation has recommended that the Township approve the first one (1) year extension of the contracts terminating on June 30, 2025, as follows:

Slam Dunk Sportz, 23 Westbrook Drive, Morganville, NJ 07751

Basketball 2024-2025

Season	Price Per	Est Attendees	Total
Spring 2025	\$144.00	535	\$77,040.00
		Total	\$77,040.00

Centercourt Club and Sports of Marlboro, 185 Amboy Road, Morganville, NJ 07751

Tennis 2024-2025

Season	Price Per	Est Attendees	Total
Summer 2024	\$120.00	40	\$4,800.00
Fall 2024	\$120.00	40	\$4,800.00
Spring 2025	\$125.00	40	\$5,000.00
		Total	\$14,600.00

VTR Amazing Athletes, 14 Crow Hill Road, Freehold, NJ 07728

Multi-Sports 2024-2025

Season	Price Per	Est Attendees	Total
Summer 2024	\$150.00	20	\$3,000.00
Fall 2024	\$150.00	20	\$3,000.00
Winter 2025	\$150.00	20	\$3,000.00
Spring 2025	\$150.00	20	\$3,000.00
		Total	\$12,000.00

Campioni Soccer, DBA CTR Soccer, 44 Glenn Oaks Court, Old Bridge, NJ 08857

Soccer 2024-2025

Season	Price Per	Est Attendees	Total
Summer 2024	\$52.36	200	\$10,472.00
Spring 2025	\$52.36	200	\$10,472.00
		Total	\$20,944.00

Gone Running LLC, 34 Benjamin Rush Lane, Princeton, NJ 08540

Track 2024-2025

Summer 2024	Rate Per Hour	# of Weeks	Rate per participant	Est Attendees	Total
1 HR	\$15.86	8 Weeks	\$126.88	25	\$3,172.00
2 HR	\$23.34		\$186.72	15	\$2,800.80
Fall 2024					
1 HR	\$15.86	8 Weeks	\$126.88	25	\$3,172.00
2 HR	\$23.34		\$186.72	15	\$2,800.80
Winter 2025					
1 HR	\$16.09	8 Weeks	\$128.72	25	\$3,218.00
2 HR	\$23.66		\$189.28	15	\$2,839.20
Spring 2025					
1 HR	\$16.09	8 Weeks	\$128.72	25	\$3,218.00
2 HR	\$23.66		\$189.28	15	\$2,839.20
				Total	\$24,060.00

; and

WHEREAS, as services for Youth Pickle Ball are no longer going to be provided by the originally contracted vendor, the Director of Recreation has solicited quotes for a new provider and is recommending the award of a contract for the provision of Youth Pickle Ball services to the lowest responsible service provider, as follows:

Whee Get Fit, 1207 W. Chicago Blvd., Sea Girt, NJ 08750

Pickle Ball 2024-2025

Season	Price Per	Est Attendees	Total
Summer 2024	\$100.00	35	\$3,500.00
Fall 2024	\$100.00	35	\$3,500.00
Winter 2024	\$100.00	35	\$3,500.00
Spring 2025	\$100.00	35	\$3,500.00
		Total	\$14,000.00

; and

WHEREAS, the Mayor and Township Council have indicated their desire to accept the recommendation as set forth herein.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro, that the following contracts be extended for an additional one (1) year period as follows:

Slam Dunk Sportz, 23 Westbrook Drive, Morganville, NJ 07751:

Basketball 2024-2025

\$144 per participant for the Spring season, for a total not to exceed \$77,040.00.

Centercourt Club and Sports of Marlboro, 185 Amboy Road, Morganville, NJ 07751:

Tennis 2024-2025

\$120 per participant for the Summer and Fall seasons, \$125 per participant for the Spring season for a total not to exceed \$14,600.00.

VTR Amazing Athletes, 14 Crow Hill Road, Freehold, NJ 07728:

Multi-Sports 2024-2025

\$150 per participant for the Summer, Fall, Winter and Spring seasons, for a total not to exceed \$12,000.00.

Campioni Soccer, DBA CTR Soccer, 44 Glenn Oaks Court, Old Bridge, NJ 08857:

Soccer 2024-2025

\$52.36 per participant for the Summer and Spring seasons, for a total not to exceed \$20,944.00.

Gone Running LLC, 34 Benjamin Rush Lane, Princeton, NJ 08540:

Track 2024-2025

\$126.88/1 hr and \$186.72/2 hrs per participant Summer and Fall seasons, \$128.72/1 hr and \$189.28/2 hrs per participant for Winter and Spring seasons for a total not to exceed \$24,060.00.

BE IT FURTHER RESOLVED, by the Township Council of the Township of Marlboro, that a contract be awarded to Whee Get Fit whose address is 1207 W. Chicago Blvd., Sea Girt, NJ 08750 in an amount not to exceed \$14,000.00 for the 2024-2025 Youth Pickle Ball seasons.

BE IT FURTHER RESOLVED, that funds for the required services will be certified by the Chief Financial Officer in Recreation Utility Accounts #09-201-55-400-288402, #09-201-55-400-288409, #09-201-55-400-288410, #09-201-55-400-288418, and #09-201-55-400-288420 at the time program registrations are finalized for the 2024 Summer, Fall and Winter seasons.

BE IT FURTHER RESOLVED, that the Chief Financial Officer will certify sufficient funds for the 2025 Spring and Winter seasons for the aforesaid contracts upon the adoption of the 2025 Municipal Budget and confirmation of the program registrations.

BE IT FURTHER RESOLVED, that a certified copy of this Resolution shall be provided to each of the following:

- a. Slam Dunk Sportz
- b. Centercourt Club and Sports of Marlboro
- c. VTR Amazing Athletes
- d. Campioni Soccer
- e. Gone Running LLC
- f. Whee Get Fit
- g. Township Business Administrator
- h. Chief Financial Officer
- i. Director of Recreation

RESOLUTION #2024-145

REMOVED FROM THE AGENDA

RESOLUTION #2024-146

A RESOLUTION AUTHORIZING CHANGE ORDER #1 TO A CONTRACT WITH SHORE TOP CONSTRUCTION CORPORATION FOR THE 2023 RECREATIONAL FACILITY IMPROVEMENTS

WHEREAS, by Resolution #2023-174 the Township of Marlboro authorized the award of a contract to Shore Top Construction Corporation for the 2023 RECREATIONAL FACILITY IMPROVEMENTS (Bid 2023-09) (the "Project"); and

WHEREAS, in the normal course of removing the existing concrete from the Swim Club pools for repair, additional repairs became necessary, and it was furthermore determined that replacing a majority of the pool skimmers while the concrete was exposed was the most efficient use of resources; and

WHEREAS, in order to complete the additional repairs and improvements, Change Order #1 has been prepared by the Contract Engineer in the amount of \$34,451.00, increasing the total contract amount to \$641,219.50, an increase of 5.68 percent; and

WHEREAS, the Chief Financial Officer has certified that sufficient funds are available for this Change Order in Recreation and Swim Utility Capital Account 10-215-23-08D-400288 for the project.

WHEREAS, the Mayor and Township Council of the Township of Marlboro is amenable to approving Change Order #1 in order for the 2023 recreational facility improvements to be completed.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro, that Change Order #1 to the existing contract with Shore Top Construction Corporation whose address is 23 Yellowbrook Road, Freehold, NJ 07728 for the 2023 Recreational Facility Improvements be and is hereby approved, increasing the original contract total of \$606,768.50 to \$641,219.50, a net increase of \$34,451.00.

BE IT FURTHER RESOLVED, that a certified copy of this Resolution shall be provided to each of the following:

- a. Shore Top Construction Corporation
- b. Township Business Administrator
- c. Township Engineer
- d. Chief Financial Officer

RESOLUTION #2024-147

A RESOLUTION CONFIRMING EMERGENCY CONTRACTS WITH AND PAYMENTS TO LUCAS CONSTRUCTION GROUP, INC. FOR THE PROVISION OF EMERGENCY WATER MAIN REPAIRS AND FERGUSON ENT., LLC FOR THE SUPPLY OF EMERGENCY WATER DISTRIBUTION PRODUCTS PURSUANT TO N.J.S.A. 40A:11-6 FOR THE TOWNSHIP OF MARLBORO DEPARTMENT OF PUBLIC WORKS WATER UTILITY DIVISION

WHEREAS, the Department of Public Works Water Utility Division has reported water emergencies in various areas of the Township designated as EM# 23-09, 23-10, 23-23, 23-31, 23-34, 23-40, 23-42, 23-43, 23-45, 23-46, 23-47, 23-48, 23-49, 23-50, 23-51, 23-53, 24-01, 24-03, 24-04, 24-06; and

WHEREAS, N.J.S.A. 40A:11-6 states that "Any contract may be ... awarded for a contracting unit without public advertising for bids and bidding therefor ... when an emergency affecting the public health, safety or welfare requires the immediate ... performance of services"; and

WHEREAS, N.J.S.A. 40A:11-6(b) states that "Upon the furnishing of such goods or services ... the contractor furnishing such goods or services shall be entitled to be paid therefor and the contracting unit shall be obligated for said payment ..."; and

WHEREAS, the water emergencies posed a serious threat to the public health, safety and welfare, constituting an emergency under the terms of N.J.S.A. 40A:11-6; and

WHEREAS, pursuant to N.J.S.A. 40A:11-6, the Water Utility contacted its existing emergency water main repair vendor, LUCAS CONSTRUCTION GROUP, INC., PO BOX 8939, RED BANK, NEW JERSEY, 07701 to provide the emergency repairs related to the above mentioned emergencies invoiced pursuant to the contract in an amount of \$191,799.90; and

WHEREAS, pursuant to N.J.S.A. 40A:11-6, the Township contacted its existing water distribution product supplier, FERGUSON ENT., LLC, 190 Oberlin Ave, Lakewood, NJ 08701 to provide the necessary emergency water distribution products related to the above mentioned emergencies invoiced pursuant to the contract in an amount not to exceed \$87,131.11; and

WHEREAS, the Chief Financial Officer previously certified the availability of funds in an amount not to exceed \$278,931.01 from various water utility operating and capital accounts.

NOW, THEREFORE, BE AND IT IS HEREBY RESOLVED, by the Township Council of the Township of Marlboro, that the emergency contracts be confirmed and payments approved pursuant to N.J.S.A. 40A:11-6 with LUCAS CONSTRUCTION GROUP, INC. for the provision of emergency water main repairs and FERGUSON ENT., LLC for emergency water distribution products.

BE IT FURTHER RESOLVED, that a certified copy of this Resolution shall be provided to each of the following:

- a. Business Administrator
- b. Chief Financial Officer
- c. Director of Public Works

At 7:52 p.m., Councilman Scalea moved that the meeting be adjourned. This was seconded by Councilman Qazi, and as there was no objection. The Municipal Clerk was asked to cast one ballot.

MINUTES APPROVED: JUNE 20, 2024

OFFERED BY: MILMAN

AYES: 4

SECONDED BY: QAZI

NAYS: 0

ABSENT: SCALEA

SUSAN A. BRANAGAN,
MUNICIPAL CLERK

ANTOINETTE M. DINUZZO,
COUNCIL PRESIDENT